

### Metal drill bit sets HSS-R (rolled), DIN 338

Product properties		Ordering information				
Diameter mm	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...	

25-piece metal drill bit set HSS-R, DIN 338

1,0	2 607 018 725	M1a	25	1	145886
1,5					
2,0					
2,5					
3,0					
3,5					
4,0					
4,5					
5,0					
5,5					
6,0					
6,5					
7,0					
7,5					
8,0					
8,5					
9,0					
9,5					
10,0					
10,5					
11,0					
11,5					
12,0					
12,5					
13,0					



7-piece metal drill bit set HSS-R, DIN 338

2,0	2 607 017 036	P1k	7	2	557375
3,0					
4,0					
5,0					
6,0					
8,0					
10,0					

### Robust Line metal drill bit sets HSS-G (ground), 135° drill bit tip

Product properties			Ordering information				
Diameter mm	Working length mm	Set size	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...

6-piece Robust Line metal drill bit set HSS-G, DIN 338, 135°

2,0	24	A	2 607 010 529	P1k	6	1	446136
3,0	33						
4,0	43						
5,0	52						
6,0	57						
8,0	75						




Set size A:  
156.5 x 69.5 x 23 mm

Pack quantity  
(Pieces per pack)


<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

### HSS bi-metal holesaws for standard arbor



Product properties		Ordering information					
Diameter mm	Diameter Inch	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...	
44	1 3/4	2 608 584 114	C1a	1	1	087544	
46	1 13/16	2 608 584 115	C1a	1	1	087551	
48	1 7/8	2 608 584 116	C1a	1	1	087568	
51	2	2 608 584 117	C1a	1	1	087575	
52	2 1/16	2 608 584 847	C1a	1	1	429603	
54	2 1/8	2 608 584 118	C1a	1	1	087582	
56	2 3/16	2 608 584 848	C1a	1	1	429610	
57	2 1/4	2 608 584 119	C1a	1	1	087599	
59	2 5/16	2 608 584 849	C1a	1	1	429627	
60	2 3/8	2 608 584 120	C1a	1	1	087605	
64	2 1/2	2 608 584 121	C1a	1	1	087612	
65	2 9/16	2 608 584 122	C1a	1	1	087629	
67	2 5/8	2 608 584 144	C1a	1	1	104388	
68	2 11/16	2 608 584 123	C1a	1	1	087636	
70	2 3/4	2 608 584 124	C1a	1	1	087643	
73	2 7/8	2 608 584 145	C1a	1	1	104395	
76	3	2 608 584 125	C1a	1	1	087650	
79	3 1/8	2 608 584 126	C1a	1	1	087667	
83	3 1/4	2 608 584 127	C1a	1	1	087674	
86	3 3/8	2 608 584 850	C1a	1	1	429634	
89	3 1/2	2 608 584 128	C1a	1	1	087681	
92	3 5/8	2 608 584 129	C1a	1	1	087698	
95	3 3/4	2 608 584 130	C1a	1	1	087704	
98	3 7/8	2 608 584 851	C1a	1	1	429641	
102	4	2 608 584 131	C1a	1	1	087711	
105	4 1/8	2 608 584 132	C1a	1	1	087728	
108	4 1/4	2 608 584 135	C1a	1	1	096607	
111	4 3/8	2 608 584 852	C1a	1	1	429658	
114	4 1/2	2 608 584 133	C1a	1	1	087735	
121	4 3/4	2 608 584 134	C1a	1	1	087742	
127	5	2 608 584 136	C1a	1	1	096614	
140	5 1/2	2 608 584 137	C1a	1	1	096621	
152	6	2 608 584 138	C1a	1	1	096638	

### HSS bi-metal holesaw - standard arbor



► Blister packed for retail customers.


16	5/8	2 608 580 772	PC1b	1	1	639255
19	3/4	2 608 580 773	PC1b	1	1	639262
20	25/32	2 608 580 774	PC1b	1	1	639279
22	7/8	2 608 580 775	PC1b	1	1	639286
25	1	2 608 580 776	PC1b	1	1	639293
29	1 1/8	2 608 580 777	PC1b	1	1	639309
32	1 1/4	2 608 580 778	PC1b	1	1	639316
35	1 3/8	2 608 580 779	PC1b	1	1	639323
38	1 1/2	2 608 580 780	PC1b	1	1	639330
40	1 9/16	2 608 580 781	PC1b	1	1	639347
41	1 5/8	2 608 580 782	PC1b	1	1	639354
44	1 3/4	2 608 580 783	PC1b	1	1	639361
48	1 7/8	2 608 580 784	PC1b	1	1	639378
51	2	2 608 580 785	PC1b	1	1	639385
54	2 1/8	2 608 580 786	PC1b	1	1	639392

● Pack quantity  
(Pieces per pack)



<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

**Accessories for HSS bi-metal holesaws**



Hexagon arbor with HSS-G pilot drill bit  
shank width 8 mm, for diameter 14-30 mm, 9/16" - 1 1/4"

-	<b>2 609 390 512</b>	C1a	1	1	195751
---	----------------------	-----	---	---	--------

Hexagon arbor with HSS-G pilot drill bit  
shank width 11 mm, for diameter 14-30 mm, 9/16" - 1 1/4"

-	<b>2 609 390 033</b>	C1a	1	1	087773
---	----------------------	-----	---	---	--------

Hexagon arbor with HSS-G pilot drill bit  
shank width 11 mm, for diameter 32-210 mm, 1 5/16"

-	<b>2 609 390 034</b>	C1a	1	1	087780
---	----------------------	-----	---	---	--------

SDS-plus arbor with HSS-G pilot drill bit  
for diameter 14-30 mm, 9/16" - 1 1/4"

-	<b>2 609 390 035</b>	C1a	1	1	087797
---	----------------------	-----	---	---	--------

SDS-plus arbor with HSS-G pilot drill bit  
for diameter 32-152 mm, 1 5/16" - 6"

-	<b>2 609 390 036</b>	C1a	1	1	087803
---	----------------------	-----	---	---	--------

HSS-G pilot drill bit  
for hexagon socket adapter, shank width 11 mm

<b>102</b>	<b>2 608 596 119</b>	C1a	1	1	045186
------------	----------------------	-----	---	---	--------

HSS-G pilot drill bit  
for SDS-plus and hexagon socket adapter, shank width 8 mm


<b>81</b>	<b>2 608 596 295</b>	C1a	1	1	103480
-----------	----------------------	-----	---	---	--------

Extension  
for adapter with shank width 5/16", 8 mm hexagonal shank

<b>305</b>	<b>2 608 580 094</b>	PC1b	1	1	469494
------------	----------------------	------	---	---	--------

Pack quantity  
(Pieces per pack)

<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.



### Lambswool bonnets for random orbit sanders



Velcro-type fastening system

- ▶ **Suitable for** surface finishing after polishing and for removing dried-on polish residues
- ▶ For dry application on curved and even surfaces
- ▶ Creates the desired high-gloss finish
- ▶ **Appropriate for** all conventional brands of machines



Product properties	Ordering information
	Working diameter mm
	Part number
	Packaging type
	Pack quantity
	Minimum order quantity <sup>1</sup>
	Barcode 3165140...

Lambswool bonnet

130	2 608 610 001	C1a	1	1	014786
160	3 608 610 000	C1a	2	1	018746



Pack quantity (Pieces per pack)

<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

## Battery packs 12 V



Application	Battery capacity Ah	Cell technology	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
Product properties			Ordering information				

12 V bulb-shape battery pack  
First generation of tools

**Appropriate for** GBM 12 V; GSR 12 V Professional

SD	1,5	NiCd	<b>2 607 335 021</b>	C1a	1	1	041768
----	-----	------	----------------------	-----	---	---	--------

## Battery packs 14.4 V



14.4 V slide-in battery pack with ECP (Electronic Cell Protection)

DIY	1,3	Li-Ion	<b>2 607 336 038</b>	C1a	1	1	438711
-----	-----	--------	----------------------	-----	---	---	--------



14.4 V slide-in battery pack with ECP (Electronic Cell Protection)

SD	1,3	Li-Ion	<b>2 607 336 150</b>	C1a	1	1	522960
HD	2,6	Li-Ion	<b>2 607 336 078</b>	C1a	1	1	480888



14.4 V pod-style battery pack

SD	1,5	NiCd	<b>2 607 335 534</b>	C1a	1	1	308199
----	-----	------	----------------------	-----	---	---	--------



14.4 V pod-style battery pack

HD	2,4	NiCd	<b>2 607 335 678</b>	C1a	1	1	334631
HD	2,6	NiMH	<b>2 607 335 686</b>	C1a	1	1	334679



14.4 V flat-shape battery pack

**Appropriate for** GSB 14,4 V; GSR 14,4 V Professional; PSR 14,4 V

SD	1,5	NiCd	<b>2 607 335 160</b>	C1a	1	1	115278
SD	2,0	NiCd	<b>2 607 335 210</b>	C1a	1	1	142700
SD	2,6	NiMH	<b>2 607 335 252</b>	C1a	1	1	184922

## Battery packs 18 V



18 V slide-in battery pack with ECP (Electronic Cell Protection)

DIY	1,3	Li-Ion	<b>2 607 336 040</b>	C1a	1	1	438728
-----	-----	--------	----------------------	-----	---	---	--------



18 V slide-in battery pack with ECP (Electronic Cell Protection)


SD	1,3	Li-Ion	<b>2 607 336 170</b>	C1a	1	1	522977
----	-----	--------	----------------------	-----	---	---	--------

Pack quantity  
(Pieces per pack)



<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs.  
Orders are carried out only in multiples of the minimum order quantity.

### Battery packs 18 V



18 V slide-in battery pack with ECP (Electronic Cell Protection)

<b>HD</b>	2,6	Li-Ion	<b>2 607 336 092</b>	C1a	1	1	480895
-----------	-----	--------	----------------------	-----	---	---	--------



18 V pod-style battery pack

<b>SD</b>	1,5	NiCd	<b>2 607 335 536</b>	C1a	1	1	308205
-----------	-----	------	----------------------	-----	---	---	--------



18 V pod-style battery pack

<b>SD</b>	2,0	NiCd	<b>2 607 335 266</b>	C1a	1	1	198479
<b>HD</b>	2,6	NiMH	<b>2 607 335 688</b>	C1a	1	1	334686

### Battery packs 24 V



24 V pod-style battery pack

Can be used for all pod-style battery pack cordless tools

<b>HD</b>	2,4	NiCd	<b>2 607 335 448</b>	C1a	1	1	281387
<b>HD</b>	3,0	NiMH	<b>2 607 335 510</b>	C1a	1	1	297189



24 V slide-in battery pack

with charge level indicator

**Appropriate for** GBH 24 VRE Professional

<b>HD</b>	1,7	NiCd	<b>2 607 335 082</b>	C1a	1	1	100571
<b>HD</b>	3,0	NiCd	<b>2 607 335 216</b>	C1a	1	1	146555

### Battery packs 36 V



36 V slide-in battery pack with ECP (Electronic Cell Protection) and CLI (Charge Level Indicator)

<b>HD</b>	1,3	Li-Ion	<b>2 607 336 002</b>	C1a	1	1	365352
-----------	-----	--------	----------------------	-----	---	---	--------



<b>HD</b>	2,6	Li-Ion	<b>2 607 336 108</b>	C1a	1	1	451437
-----------	-----	--------	----------------------	-----	---	---	--------

Pack quantity (Pieces per pack)

<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

