

Indicator Lights (Neon, LED and Filament Lamp)



UL file E63363

CSA file LR29381

Colours and voltages:







Neon	Red, Amber, Green, Clear 100/130V (marked 110V), 200/250V (marked 230V)
LED	Red, Yellow, Green 2.0/2.2V Resistors for other voltages available
Filament lamp	Red, Amber, Green, (Clear & Blue check availability) 6V, 12/14V, 24/28V

To create a catalogue number:











Refer to the 2 columns below (terminal and type)






Then state:

Lens colour, voltage and whether neon, LED or filament lamp

TERM	TYPE	PANEL & °C
L K 2.8 H 4.8 C 6.3	(C) 2820 00  UL, S, D, N, FI, KEMA, UL, etc.	Ø 12.0 0.75-2.0 page 66
L K 2.8 H 4.8 C 6.3	(C) 2821 00  UL, S, D, N, FI, KEMA, UL, etc.	Ø 12.0 or 12.7 Ø12.0 = 0.8-2.5 Ø12.7 = 1.1-2.5 page 66
L K 2.8 H 4.8 C 6.3	(C) 0586 00  UL, S, D, N, FI, KEMA, UL, etc.	Ø 12.5 0.8-1.5 page 66
L K 2.8 H 4.8 C 6.3	(C) 2870 00  UL, S, D, N, FI, KEMA, UL, etc.	Ø 12.7 0.75-2.0 page 66
L K 2.8 H 4.8 C 6.3	(C) 0589 00  UL, S, D, N, FI, KEMA, UL, etc.	Ø 12.7 0.8-1.5 page 66
L	L 0081 00 Chrome bezel  UL	Ø 12.7 9.5 page 66

DIMENSIONS (mm)



TERM	TYPE	PANEL & °C
L K 2.8 H 4.8 C 6.3	(C) 0177 00 Chrome bezel  KEMA KEUR RU	Ø 12.7 12.0max page 66
L K 2.8 H 4.8 C 6.3	(C) 0067 00 Chrome bezel  RU	Ø 12.7 1.14max page 66
L K 2.8 H 4.8 C 6.3	(C) 0180AA  SE	Ø 12.7 19.0max page 66
L K 2.8 H 4.8 C 6.3	(C) 0180BB Chrome bezel  SE	Ø 13.5 0.9-1.14 page 66
L K 2.8 H 4.8 C 6.3	(C) 0579 00  KEMA KEUR RU	Ø 14.0 2.5max page 66

DIMENSIONS (mm)

