

## SMD tweezers – Round tips straight



- Suitable for gripping and holding round components and wires
- Blunted edges prevent damage to printed-circuit
- For all models with the suffix SA in the order number: Special stainless steel, non-magnetic, non-rusting, acid-proof, heat-resistant

110 mm/4.331 Inch



Model	<u> </u>	Description
39SA	15 g 0.53 oz.	SMD tweezers with round tips, dia. 0.3 mm/.011 lnch. Serrated finger grips for secure handling. For gripping small wires and cylindrical components.
40SA	15 g 0.53 oz.	SMD tweezers with round tips, dia. 0.4 mm/.015 Inch. Serrated finger grips for secure handling. For gripping small wires and cylindrical components.





Model		Description
150SAMF	13 g 0.46 oz.	SMD tweezers with round, very narrow tips, dia. 1.2 – 2.5 mm/ .047 – .098 lnch. Serrated finger grips for secure handling. For gripping cylindrical components, mini MELFs, etc.
150SAD .059118 Inch Ø 1,5-3 mm 4 mm .157 Inch	13 g - 0.46 oz.	SMD tweezers with round tips, dia. 1.5 – 3 mm/.059 – .118 lnch. Serrated finger grips for secure handling. For gripping cylindrical components, mini MELFs, etc.
150SA	13 g 0.46 oz.	SMD tweezers with round tips, dia. $1.5-3\text{mm}/.059118\text{lnch}.$ Serrated finger grips for secure handling. For gripping cylindrical components.
151SA .8 mm / 288 Inch	13 g 0.46 oz.	SMD tweezers with round tips, dia. 3 – 6 mm/.118 – .236 lnch. Serrated finger grips for secure handling. For gripping cylindrical components.