

EY7441LR2S
14.4V Drill & Driver

- TOUGH TOOL IP - IP56 Approval

- High Power with 31.9Nm for applications with high torque

- Overheat Protection System (OPS) for motor protection against overload

- Extraordinary endurance with up to 350 screws 6x60mm in soft-wood

- LED light and belt hook for comfortable working

- Charger for all Li-Ion batteries 10,8-28,8V



14.4V Drill & Driver "TOUGH TOOL IP" with compact body and leading endurance

Power Supply

| | |
|-------------------------------------|------|
| 2nd Battery | yes |
| Charging Time full (minutes) | 65.0 |

Power & Speed Mode

Max. Torque (Nm)

| | |
|------------------------|------|
| Instant torque | 44.1 |
| Stalling torque | 31.9 |

Speed at No Load (rpm)

| | |
|------------------------|---------------------|
| Low | 70 - 400 |
| High | 200 - 1400 |
| Clutch Stages | 18 + Drill position |
| Chuck Size (mm) | 13.0 |

Features

| | |
|---|----------------------|
| Variable Speed Control / Reverse | yes |
| Electric motor brake | yes |
| Ergonomic Design | yes |
| Typical Application | General construction |

Joiners / carpenters
Installation
Electricians
Maintenance

General Data

Dimensions (mm)

Width 60.0

Height 232.0

Length 193.0

Weight (kg, incl. battery) 1.75

