

High Precision Tweezers

Anti-Acid/Anti-Mag SS (SA)



0.SA
Tips: straight, fine, superior finish. OAL: 120mm



00.SA
Tips: straight, strong, thick, superior finish. OAL: 120mm



000.SA
Tips: straight, fine, superior finish. OAL: 120mm



00B.SA
Serrated handles - Tips: straight, strong, thick, superior finish. OAL: 120mm



0C9.SA
Tips: straight, fine, superior finish. OAL: 90mm



00D.SA
Serrated handles - Tips: straight, strong, thick, line serrated, superior finish. OAL: 120mm



1.SA
Tips: straight, fine, superior finish. OAL: 120mm



2.SA
Tips: straight, sharp, fine, superior finish. OAL: 120mm

High Precision Tweezers

Anti-Acid/Anti-Mag SS (SA)



2A.SA

Tips: straight, flat, round, superior finish. OAL: 120mm



2AB.SA

Tips: flat, round, curved, superior finish. OAL: 120mm



3.SA

Tips: straight, very sharp, fine, superior finish.
OAL: 120mm



3C.SA

Tips: straight, sharp, fine, superior finish. OAL: 110mm



4A.SA

Tips: straight, extra fine, superior finish. OAL: 110mm



5.SA

Tips: straight, extra fine, superior finish. OAL: 110mm



5A.SA

Tips: straight, extra fine, superior finish. OAL: 115mm



5B.SA

Tips: bent, extra fine, superior finish. OAL: 110mm

High Precision Tweezers

Anti-Acid/Anti-Mag SS (SA)



6.SA
Tips: angled, flat, fine, superior finish. OAL: 120mm



10G.SA
Serrated handles - Tips: straight, fine, line serrated, superior finish. OAL: 110mm



65A.SA
Tips: very fine, bent, superior finish. OAL: 140mm



F.SA
Tips: straight, flat, squared head, thin, strong, superior finish. OAL: 120mm



K5HP.SA
Kit of 5: 00, 2A, 3C, 5, 7.



7A.SA
Tips: very fine, curved, superior finish. OAL: 120mm



51S.SA
Tips: bent, extra fine, superior finish. OAL: 115mm



AC.SA
Serrated handles - Tips: straight, strong, superior finish. OAL: 110mm



SS.SA
Tips: straight, extra fine, very sharp, superior finish. OAL: 140mm