


## Cable management

### Perfect installation solutions

Bachmann banishes unwieldy cables from workstations. The KABELSCHLANGE® cable management system allows the optimum routing of cables at workstations between desk, floor box, wall duct and the various devices.

Bachmann can offer the best cable management system for every situation. Whether the cables run along the floor or are routed from the floor to the desk, the systems are mutually compatible. A well-thought-out and integrated cable management concept is available to you.

The various systems are available finished in black and silver as standard, but we can provide custom colours on request.



Flexible cable management system

- The links are safe to step on and break-proof, and can be moved about relative to one another.
- The power strip is earthed independently of the installation
- 2 connector shoulders for the transmission of forces (including torques and lateral forces)
- Special geometry enables individual cables to be unfurled through the sides of the links without risking crushing



Art. no. | Colour | Version

**Kabelschlange® Classic (for horizontal and vertical cable routing)**

930.030	Black	· 3-chamber system to separate low-current, data and power cables
930.031	Silver	· 46 chain links, W x H: approx. 53 x 23 mm · Length (separated): approx. 100 cm, (pushed together): approx. 72 cm



**Kabelschlange® Cube (for horizontal and vertical cable routing)**

930.058	Black	· 2-chamber system to separate data and power cables
930.059	Silver	· 34 chain links, W x H: approx. 55 x 25 mm · Length (separated): approx. 100 cm, (pushed together): approx. 69 cm



**Kabelschlange® Pro (for horizontal and vertical cable routing)**

930.032	Black	· Increased resistance to being stepped on even in high foot traffic areas such as passages
930.033	Silver	· 5 chain links can withstand short-term loads of up to 120 kg · 2-chamber system to separate data and power cables · Can also be connected directly to Kabelschlange® Classic · 34 chain links, W x H: approx. 90 x 24 mm · Length (separated): approx. 100 cm, (pushed together): approx. 70 cm



**Kabelschlange® Premium Set (for vertical cable routing)**

930.049	Black	· Stylish premium set:
930.050	Silver	· 16 chain links, W x H: approx. 70 x 35 mm · 1 x metal base plate in appropriate colour · 1 x desk attachment in appropriate colour · The chain links can be pushed together completely to form an enclosed, self-locking, elliptical cable duct. · 2-chamber system to separate data and power cables · Length incl. base plate and desk attachment approx. 78 cm · Length without accessories approx. 75 cm · Length (pushed together):-approx. 59 cm in set



**Kabelschlange® Quadro Set (for vertical cable routing)**

930.016	Black	· Functional set with a strong design element:
930.017	Silver	· 23 quadratic chain links, W x H: approx. 45 x 45 mm · 1 x metal base plate in appropriate colour · 1 x desk attachment in appropriate colour  The Quadro system is very stable and can therefore be used for ceiling-based installations for room heights of up to approx. 5 metres. · 2-chamber system to separate data and power cables · Length incl. base plate and desk attachment approx. 76 cm



**Kabelschlange® Quadro (as addition to set article no.: 930.016 and 930.017)**

930.018	Black	· as addition to set article no.: 930.016 and 930.017
930.019	Silver	· for seating/standing combinations (height adjustable) or desk/table heights as of 75 cm and for ceiling suspensions · 32 links, length approx. 100 cm



**Kabelschlange® FLEX II Set (for vertical cable routing)**

930.022	Black	· Compact and flexible set:
930.023	Silver	· 38 chain links, W x H: approx. 55 x 22 mm · 1 x metal base plate in appropriate colour · 1 x desk attachment in appropriate colour · 2-chamber system to separate data and power cables · and for ceiling suspensions · Length incl. base plate and desk attachment approx. 75 cm



Furniture accessories

Art. no.	Colour	Version
----------	--------	---------

**Kabelschlange® FLEX II (as addition to set article no.: 930.022 and 930.023)**

930.020	Black	· for seating/standing combinations
930.021	Silver	· 54 links. Length approx. 100 cm

**Easy-Bridge®**

930.027	Silver	· Aluminium floor duct, can be stepped on, length 100 cm · The Kabelschlange Pro® can be connected directly · For carpet
---------	--------	--

**Easy-Bridge®**

930.028	Silver	· Aluminium floor duct, can be stepped on, length 100 cm · The Kabelschlange Pro® can be connected directly · For smooth floors
---------	--------	---

**Easy-Steel® mounting bar**

930.024*		· Dimensions: Length 750 mm, diameter 5 mm
----------	--	--

**Easy-Desk-3G®**

930.025*	Silver	· Easy-Steel® mounting bar fastening
----------	--------	--------------------------------------

**Easy-Connect®**

930.026*	Silver	· Universal coupling
----------	--------	----------------------

**Easy-Desk-2B®**

930.029	Black	· Adapter for vertical connections on furniture
930.090	Silver	· Can be combined with Easy-Stop® and Easy-Steel® · Includes two 4 x 12 mm screws

**Easy-Stop-2B2K®**

930.091	Black	· 3-part cable strain relief for Kabelschlange® Classic, Cube, Pro
930.092	Silver	· Can be combined with Easy-Desk-2B® and Easy-Steel® · Includes clamping screws

**E-Cube-K-540® power column for supply of power and data**

930.166		· To hold sockets indoors (e.g. article no.: 333.0122) · Material: anodised aluminium / plastic · Dimensions: Height approx. 54 cm/ cover approx. 22.3 x 22.3 cm/ base approx. 24 x 24 cm · Hole diameter 80 mm including Easy Outlet® telescopic cover
---------	--	--

Floor connection accessories

Art. no.	Colour	Version
----------	--------	---------

**Easy-Outlet® floor unit**

930.098*	Black	· Floor level installation unit
930.099*	Silver	· Tight braced fastening · Suited to dry-maintained raised and false floors

**Easy-Cover® telescopic cover for floor unit**

930.100*	Black	· Telescopic cover set for Easy-Outlet® floor unit
930.137	Silver	



Illustration shows 930.099 and 930.137

Furniture accessories

Art. no.	Colour	Version
<b>Easy-Cover-I® (system attachment for floor unit)</b>		
930.138*	Silver	<ul style="list-style-type: none"> <li>· Connection for 1 x Cube, Pro, Classic or Flex</li> <li>· Material: PP for use in floor outlet</li> </ul>
<b>Easy-Cover-II® (system attachment for floor unit)</b>		
930.139*	Silver	<ul style="list-style-type: none"> <li>· Connection for 2 x Cube, Pro, Classic or Flex</li> <li>· Material: PP for use in floor outlet</li> </ul>
<b>Easy-Cover-Quadro® (system attachment for floor unit)</b>		
930.164*	Black	<ul style="list-style-type: none"> <li>· Connection for 1 x Kabelschlange® Quadro</li> <li>· Material: PP for use in floor outlet</li> </ul>
<b>Easy-Cover-Premium® (system attachment for floor unit)</b>		
930.165*	Black	<ul style="list-style-type: none"> <li>· Connection for 1 x Kabelschlange® Premium</li> <li>· Material: PP for use in floor outlet</li> </ul>
<b>Easy-Switch® distributor (for Kabelschlange® Classic, Cube, Pro)</b>		
930.034*	Black	<ul style="list-style-type: none"> <li>· 3-way distributor</li> </ul>
930.035*	Silver	<ul style="list-style-type: none"> <li>· includes 4 coupling links for KS Cube®</li> </ul>
<b>Easy-Switch® distributor (for Kabelschlange® Classic, Cube, Pro and a vertical K. Premium connection)</b>		
930.057*	Black	<ul style="list-style-type: none"> <li>· 4-way distributor with fixing screw and base plate</li> <li>· includes 4 coupling links for KS Cube®</li> </ul>
<b>Easy-Cap®</b>		
930.044*	Black	<ul style="list-style-type: none"> <li>· Cover cap for Easy-Switch connections that are not needed</li> </ul>
930.045*	Silver	
<b>Easy-Clip-S® floor outlet adapter for all common floor outlets</b>		
930.036*	Black	<ul style="list-style-type: none"> <li>· For ground outlet for Kabelschlange® Classic</li> <li>· Dimensions: L x W: approx. 86 x 47 mm</li> </ul>
<b>Easy-Clip-L® floor outlet adapter for all common floor outlets</b>		
930.054*	Black	<ul style="list-style-type: none"> <li>· For ground outlet for Kabelschlange® Pro and Cube</li> <li>· Dimensions: L x W: approx. 91.5 x 51 mm</li> </ul>



Ceiling connection accessories

Art. no.	Colour	Version
<b>Easy-Cover-I® (system attachment with low transmission of force to suspended ceilings )</b>		
930.094*	White	<ul style="list-style-type: none"> <li>· Connection for 1 x Cube, Pro, Classic or Flex</li> <li>· Material: POM for suspended ceilings</li> </ul>
<b>Easy-Cover-Quadro® (system attachment with low transmission of force to suspended ceilings)</b>		
930.096*	White	<ul style="list-style-type: none"> <li>· Connection for 1 x Kabelschlange® Quadro</li> <li>· Material: POM for suspended ceilings</li> </ul>
<b>Easy-Cover-Premium® (system attachment with low transmission of force to suspended ceilings)</b>		
930.097*	White	<ul style="list-style-type: none"> <li>· Connection for 1 x Kabelschlange® Premium</li> <li>· Material: POM for suspended ceilings</li> </ul>



\* No storage type