



Low-voltage halogen lamps without reflector




Product features


- Xenon instead of krypton as the filler gas (XENOPHOT HLX versions)
- Luminous flux up to 10 % higher with same power consumption (XENOPHOT HLX versions)




Product family datasheet




Product line drawing




Product line drawing




Product line drawing




Product line drawing




Product line drawing




Product line drawing



Product line drawing




Product line drawing




Product line drawing


Product family datasheet



Product line drawing



Base




Base



Base



Base



Base

Product family datasheet

Technical data

Product description	EEI – Energy Label
64222 10 W 6 V	B
64223 10 W 6 V	B
64225 10 W 6 V	B
64250 HLX	B
HAL 64251 HLX	B
64265 HLX	B
64275 AX	C
64258 20 W 12 V	C
64259 20 W 12 V	B
64260 30 W 12 V	B
64261 HLX	B
64602 50 W 12 V	C
64610 HLX	B
64611 HLX	B
62138 HLX	B
64621 HLX	B
64623 HLX	B
64625 HLX	B
64628 100 W 12 V	B
64291 XIR	B

Product family datasheet

Product description	EEI – Energy Label
64650 50 W 22,8 V	C
64292 XIR	B
64638 HLX	B
64647 120 W 24 V	B
64640 HLX	B
64641 HLX	D
64642 HLX	B
64643 150 W 24 V	B
64655 HLX	B
64657 HLX	B
64656 HLX	B
64654 HLX	B
64663 HLX	B
64664 HLX	B
64665 HLX	B
64633 HLX	B
62139 HLX	B

Product family datasheet

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.