

Rittal – The System.

Faster – better – everywhere.

Cable gland, brass – SZ 2411.801

Date : Jul 30, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Cable gland, brass – SZ 2411.801

created: 30.07.2018 on www.rittal.com/com-en



Product description

Benefits: Because the gland and lock nut are sold together in a single pack, this saves additional ordering and storage.
Clamping membranes for even tightening and strain relief to protect the cables

Material: Brass
Seal: CR/NBR

Surface finish: Nickel-plated

**Protection category
IP to IEC 60 529:** IP 68 (5 bar, 30 min)

Product features

Dimensions: Height: 22 mm

Thread: Type: M12 x 1.5

Thread length: 6 mm

**Operating
temperature:** Operation (environment): -40°C...+100°C

Cable entry: For cable diameter: 3 mm - 6,5 mm

Width across flats: 14 mm

Packs of: 15 pc(s).

Weight/pack: 0.24 kg

EAN:	4028177809994
Customs tariff number:	74199990
ETIM 6.0:	EC000441
ETIM 5.0:	EC000441
eCl@ss 8.0/8.1:	27149109
eCl@ss 7.0/7.1:	27149109
eCl@ss 6.0/6.1:	27149109
eCl@ss 5.1/5.1.4:	27189224
Product description (long):	SZ Cable gland, brass, size: M12x1,5, for cables ø 3-6.5 mm
Approvals	
Approvals:	UR + C-UR VDE
Certificates:	EAC
Declarations:	Declaration of conformity