

STRIPPERS



Pro'sKit®


Strippers

All of Pro'sKit® precision strippers are passed by strict quality control of precision instruments and ensuring accurate stripping with much less effort against injury and long service life. Pro'sKit® offers a complete range of strippers, including precision wire strippers, automatic wire strippers, coaxial cable strippers, round cable slitting & ringing tools, for most applications, such as electrical wire, hook-up wire, multi-conductor cable, flat telephone cable, twisted pair round cables, coaxial cables, fiber optics cables...etc.



Gripping

Mainly used in holding, pulling and bending wires.



Cutting wires



With cutting edge for soft wires from Ø0.25 to Ø1.2mm(AWG 30 to 16), not for hard or thick objects.

Wire spring




Stripping flat telephone cables

For stripping electronic flat cable, wire width up to 12mm.



Stripping wires



Pro'sKit® precision strippers are processed by CNC lathe to guarantee the accurate size of notches and to accurate stripping without damage.



Pro'sKit® end-action wire stripper comes with V type design and screw adjustment to preset wire size up to 3.9mm.




Pro'sKit® automatic wire stripper requires much less effort to strip wires quickly. The notch size could be custom made upon special request.

The spring design is very important! It lets handles self-opening to make work faster with much less effort.



2 blade stripping coaxial cables

2 blade coaxial cable stripper usually be used in stripping braided shields coaxial cable



3 blade stripping coaxial cables

blade coaxial cable stripper usually be used for stripping foil/braided shields coaxial cables

Pro'sKit® coaxial cable strippers and twisted pair round cable strippers are designed with lever action requires much less force and support users operating as effectively as possible. Blades made from special grade steel provide sharp and durable. Especially, some of Pro'sKit strippers come with adjustment wire size function to preset wire size to meet applications requirement.

Cutting wires

Coaxial & twisted pair round cable strippers With cutting edge for cutting soft wires from Ø0.25 to Ø1.0mm(AWG 30 to 18), not for hard or thick objects.



Stripping wires

For stripping electrical wires

Stripping twisted pair round cables


For stripping twisted pair round cables.

Stripping flat telephone cables

For stripping flat telephone cable



Wire spring




Safety Caution




- Blades are very sharp, please use carefully and keep them out of reach of children.
- Blades are consumables, please choose in addition when being damaged.

CP-3001D / CP-3002D
Precision Wire Stripper





Stripping wires




Gripping

Model No.	Material		HRC	Application	OAL. (mm)	Individual packing
	Body	Handle				
CP-3001D	SK7	TPR	50±3°	AWG: 30, 28, 26, 24, 22, 20 / 0.2, 0.3, 0.4, 0.5, 0.6, 0.8 mm	169	Blister card
CP-3002D				AWG: 20, 18, 16, 14, 12, 10 / 0.8, 1.0, 1.3, 1.6, 2.0, 2.6 mm		

8PK-3001D / 8PK-3002D
Precision Wire Stripper



Stripping wires



Gripping

Model No.	Material		HRC	Application	OAL. (mm)	Individual packing
	Body	Handle				
8PK-3001D	SK7	PVC	50±3°	AWG: 30, 28, 26, 24, 22, 20 / 0.2, 0.3, 0.4, 0.5, 0.6, 0.8 mm	156	Blister card
8PK-3002D				AWG: 20, 18, 16, 14, 12, 10 / 0.8, 1.0, 1.3, 1.6, 2.0, 2.6 mm		

CP-301G / CP-302G
Precision Wire Stripper



Heat-treated sharp angle w/ fine laser marking



Safety lock design

Model No.	Material		HRC	Application	OAL. (mm)	Individual packing
	Body	Handle				
CP-301G	S50C	PVC	45±3°	AWG: 30, 28, 26, 24, 22, 20 / 0.2, 0.3, 0.4, 0.5, 0.6, 0.8 mm	165	Blister card
CP-302G				AWG: 20, 18, 16, 14, 12, 10 / 0.8, 1.0, 1.3, 1.6, 2.0, 2.6 mm		

SR-363A/SR-363B
2 in 1 Round Cable Cutter & Stripper



• The stripper is processed by CNC machining process to ensure its accuracy.



Cutting round cable





Stripping

Model No.	Material		HRC	Application	OAL. (mm)	Individual packing
	Body	Handle				
SR-363A	SK5	TPR	54±3°	Stripping AWG 14/12/10/8 Cutting round cable up to 10.7mm	168	Blister card
SR-363B				Stripping AWG 20/18/16/14/12/10 Cutting round cable up to 10.7mm		


1PK-3001E / 1PK-3002E
Precision Wire Stripper



Conductive handles
Resistivity: 10³~10⁶



Stripping wires



Gripping


Model No.	Material		HRC	Application	OAL. (mm)	Individual packing
	Body	Handle				
1PK-3001E	SK7	TPR	50±3°	AWG: 30, 28, 26, 24, 22, 20 / 0.2, 0.3, 0.4, 0.5, 0.6, 0.8 mm	156	Blister card
1PK-3002E				AWG: 20, 18, 16, 14, 12, 10 / 0.8, 1.0, 1.3, 1.6, 2.0, 2.6 mm		

8PK-3161 / 8PK-3162 / 8PK-3163
7 In 1 Tool




Model No.	Material		Hardness	Application	OAL. (mm)	Individual packing
	Body	Handle				
8PK-3161	Low Carbon steel	PVC	HR30N 55-65	AWG: 18, 16, 14, 12, 10 / 0.9, 1.25, 2.0, 3.5, 5.5 mm ²	170	Blister card
8PK-3162				AWG: 26-24, 22, 20, 18, 16 / 0.2, 0.35, 0.5, 0.9, 1.25 mm ²		
8PK-3163				AWG: 30, 28, 26, 24, 22 / 0.25, 0.32, 0.4, 0.5, 0.65 mm		


▶ CP-318/CP-319 VVF 1.6/2.0 Wire Stripper



- Stripping & Cutting VVF 1.6 & 2.0 mm wire.
- Built-in scale for measuring 2-9cm & 12 mm.
- Serrated jaw which provides firm gripping and bending.
- Ergonomic & Non-slip handles for user comfort.



CP-318
For 2 CORE WIRE



CP-319
For 3 CORE WIRE

Model No	Material		Application	OAL. (mm)	Individual packing
	Body	Handle			
CP-318	S45C	PVC	VVF 1.6 & 2.0 mm 2 core wire	192.5	Blister card
CP-319			VVF 1.6 & 2.0 mm 3 core wire		

▶ CP-412G/CP-413G Heavy Duty Wire Stripper/Crimper



- Combination cutting, stripping and crimping function.

Material		HRC	Individual packing
Body	Handle		
S50C	PVC	45°±3°	Blister card



Bolt cutter

Crimp insulated and non-insulated terminals

Model No.	Application			OAL. (mm)
	Wire strip	Bolt cutter	Crimp	
CP-412G	Stranded wire: 24-22, 20, 18, 16, 14, 12 AWG Solid wire: 22-20, 18, 16, 14, 12, 10 AWG	4-40, 6-32, 8-32, 10-24, 10-32	Barrel-type insulated and Non-insulation: 22-18, 16-10 AWG	206
CP-413G	Stranded Wire: 26-24, 22-20, 18, 16, 14, 12, 10 AWG Solid Wire: 22-20, 18, 16, 14, 12, 10, 8 AWG	4-40, 10-32, 10-24, 8-32, 6-32	Insulation: 26-14, 12-10 AWG Non-insulation: 22-10 AWG	215



CP-412G



CP-413G

▶ 8PK-033/8PK-313A/8PK-313B Heavy Duty Wire Stripper/Crimper



- Combination cutting, stripping and crimping function.

Material		Hardness	Individual packing
Body	Handle		
SAE 1008	PVC	HV 450-800	Blister card



Bolt cutter

Crimp insulated and non-insulated Terminals

Model No.	Application			OAL. (mm)
	Wire strip	Bolt cutter	Crimp	
8PK-033	0.75, 1.0, 1.5, 2.5, 4.0, 6.0mm	M2.6, M3, M3.5, M4, M5	1.5, 2.5, 6mm ²	200
8PK-313A (Inch)	AWG: 22-20, 18, 16, 14, 12, 10	4-40, 6-32, 8-32, 10-24, 10-32	Insulation: 22-18, 16-14, 12-10 Non-insulation: 22-18, 16-14, 12-10 AWG	235
8PK-313B (Metric)	0.75, 1.0, 1.5, 2.5, 4.0, 6.0 mm ²	M2.6, M3, M3.5, M4, M5	Insulation: 1.5, 2.5, 6 mm ² Non-insulation: 1.5, 2.5, 4-6 mm ²	



8PK-033



8PK-313A/B

8PK-CT009 / 8PK-CT009A Multi-Purpose Crimping Tool



Material		HRC	OAL (mm)	Individual packing
Body	Handle			
S45C	PVC	45±3°	210	Blister card


Model No.	Application		
	Wire strip	Bolt cutter	Crimp
8PK-CT009 (Metric)	0.6, 0.8, 1.0, 1.3, 1.6, 2.0, 2.6 mm	M2.6, M3, M3.5, M4, M4.5, M5	Insulation & Non-insulation: 2.6-1.3, 1.0-0.6 mm
8PK-CT009A (Inch)	22, 20, 18, 16, 14, 12, 10, AWG	4-40, 5-40, 6-32, 8-32, 10-32, 10-24	Insulation & Non-insulation: 10-16, 18-22AWG

CP-415 Cutter Stripper And Crimper




Material		HRC	OAL (mm)	Individual packing
Body	Handle			
SK7	TPR	53±3°	175	Blister card

Wire strip	Application	
	Bolt cutter	Crimp
30-10 AWG (0.05-5.5mm ²)	Cutter: 30-12 AWG(0.25-2.0 mm) Cutter: 30-10 AWG(0.05-5.5 mm ²)	Non-insulation AWG: 22-18/16-14/12-10 JIS: 1.25/2.0/3.5-5.5mm ² DIN: 0.9/2.5/4-6/ mm ²




CP-208D Wire Stripper / Cutter



Material		HRC	Application	OAL (mm)	Individual packing
Body	Handle				
SK7	TPR	50±3°	Cutting Capacity: Ø 1.3 mm / 16 AWG Wire Stripper: Ø 0.4 mm / 26 AWG	150	Blister card


8PK-208D Wire Stripper / Cutter



Material		HRC	Application	OAL (mm)	Individual packing
Body	Handle				
SK7	PVC	50±3°	Cutting Capacity: Ø 1.3 mm / 16 AWG Wire Stripper: Ø 0.4 mm / 26 AWG	140	Blister card



6PK-223 Wire Stripper Cutter



Material		HRC	Application	Replacement blade	OAL (mm)	Individual packing
Body	Handle					
S45C	PVC	45±3°	Stripping wire From 30-10 AWG (0.5-4mm)	5PK-322-B	127	Blister card

CP-108 Wire Stripper Cutter



Material		HRC	Application	OAL (mm)	Individual packing
Body	Handle				
AISI 1050	PVC	45±3°	Stripping wire From 30-10 AWG (0.5-4mm)	127	Blister card

CP-367A Self-Adjusting Insulation Stripper



- To adjust length stop of 8-12mm
- Fully insulated for user comfort!



Material		HRC	Application	OAL (mm)	Individual packing
Body	Blade				
Nylon	SK5	55±3°	Stripping: AWG24-10/0.2-6.0mm ² Cutter: under Ø 2.0mm	115	Blister card

608-369A / 608-369B / 608-369C Wire Stripping Tool



608-369A
0.5, 1.2, 1.6, 2.0mm



608-369B
1.0, 1.6, 2.0, 2.6, 3.2mm



608-369C
22, 18-20, 14-16, 12, 10, 8 (AWG)



Model No.	Material			Hardness	Application	OAL (mm)	Individual packing
	Body	Blade	Handle				
608-369A	Zinc alloy	SS 41	PVC	Body: HV450-800 Blade: HRC45°-55°	0.5, 1.2, 1.6, 2.0mm	170	Blister card
608-369B					1.0, 1.6, 2.0, 2.6, 3.2mm		
608-369C					22, 18-20, 14-16, 12, 10, 8 (AWG) for solid wire		

808-080 Wire Stripping Tool



Ideal for flat cable stripping



Material		HRC Blade	Application	OAL (mm)	Individual packing
Body	Blade				
ABS & low carbon steel	SS5C	45°-55°	Stripping flexible cable from 0.2-4mm ²	172	Blister card

CP-246 Solar Cable Stripper



- Reliable stripping without damage, particularly for solar cables (2.5- 6.00 mm²)
- With adjustable length stop for accurate stripping length setting



Material			HRC	Application	OAL (mm)	Individual packing
Body	Blade	Handle				
Zinc alloy	SK5	TPR	56±2°	For 2.5/4/6mm ² (AWG 14/12/10) solar cable	177	Blister card

CP-369AE / CP-369BE / CP-369CE Wire Stripping Tool



CP-369AE
0.5, 1.2, 1.6, 2.0mm



CP-369BE
1.0, 1.6, 2.0, 2.6, 3.2mm



CP-369CE
22, 18-20, 14-16, 12, 10, 8 (AWG)



Model No.	Material			Hardness	Application	OAL (mm)	Individual packing
	Body	Blade	Handle				
CP-369AE	Zinc alloy	S45C	PVC	Body: HV450-800 Blade: HRC45°-55°	0.5, 1.2, 1.6, 2.0mm	170	Blister card
CP-369BE					1.0, 1.6, 2.0, 2.6, 3.2mm		
CP-369CE					22, 18-20, 14-16, 12, 10, 8 (AWG) for solid wire		

CP-080E Wire Stripping Tool



Cutting




Material		HRC Blade	Application	OAL (mm)	Individual packing
Body	Blade				
ABS & low carbon steel	65Mn	45°-55°	Stripping flexible cable from 0.2-4mm ²	172	Blister card

8PK-371 Automatic Wire Stripper & Crimper



- The tool is made by precision machines for a long-life usage.
- 15N 88~90 (HRC55~60°) blade cuts wire fast and smoothly.
- Plastic insulated handles keep your work safe.




Material		HRC		OAL. (mm)	Individual packing	
Body	Blade	Handle	Cutting edge	Blade		
SS 41	Powder metallurgy	PVC	55°~60°	52°~57°	210	Blister card
Application						
Stripper range: (0.2~6.0mm ²) AWG 10-24 For insulated terminals 22-10 AWG (0.5-6.0mm ²) For non-insulated terminals 22-10 AWG (0.5-6.0mm ²) For auto ignition terminals 7-8mm						

8PK-371D Automatic Wire Stripper & Crimper



- Micro adjusting the swivel knob to strip electrical wire gauge smaller than AWG24 (0.2mm²)
- Adjustable stopper is swiveled if user does not use this function.





Material		HRC		OAL. (mm)	Individual packing	
Body	Blade	Handle	Cutting edge	Blade		
SS 41	Powder metallurgy	ABS + TPR	55°~60°	52°~57°	210	Blister card
Application						
Stripper range: AWG 24-10 gauge (0.2~6.0mm ²), For insulated terminals 22-10 AWG (0.5-6.0mm ²) For non-insulated terminals 22-10 AWG (0.5-6.0mm ²) For auto ignition terminals 7-8mm						

CP-507 Coaxial Cable Stripper & Cutter



- Designed for easy single operation of stripping and cutting RG-59, RG-6 cable.
- Unique and safe design construction to avoid blade exposure and accident.
- Black hook and loop for folding back the braided shield.
- Finger loop promotes rotation during use.
- Pocket clip design for convenient carrying.



Material		Application	OAL. (mm)	Individual packing
Body	Blade			
ABS	SK5	RG-59/6	111	Blister card


CP-509 Coaxial Stripping Tool



- With hex wrench for easy installing or removing F connector from splitter.
- Durable SK5 preset cutting blades provide precise, accurate cable stripping.




Remove F connector



Material		Application	OAL. (mm)	Individual packing
Body	Blade			
ABS	SK5	RG-59/6/7/11	130	Blister card

6PK-501 Wire Stripper Tool



Replacement blade :
5PK-376A-BLADE
(6 pcs/pack)

Material		Application	OAL. (mm)	Individual packing
Body	Blade			
ABS	SK5	For wire(UTP/STP) or wire & multiconductor cable from ø3.2-9mm max.	112	Blister card


CP-501BN Wire Stripper Tool



- For stripping UTP/STP cable, flat telephone cable and coaxial cable with cutter function.

Material		Application	OAL. (mm)	Individual packing
Body	Blade			
ABS	SK5	For wire(UTP/STP) or wire & multiconductor cable from ø3.2-9.5mm max.	112	Blister card

CP-508 Universal Stripping Tool




- With cable cutter for round cable and flat cable.
- Built-in de-twisted and straightening wire function.
- Comes with black hook and loop for folding back the braided shield.
- Durable SK5 preset cutting blades provide precise, accurate cable stripping.




Twisted or de-twisting of paired wire Stripping RG59/6/7/11 Stripping UTP/STP



Material		Application	OAL (mm)	Individual packing
Body	Blade			
ABS	SK5	UTP/STP, RG-59/6/7/11	135	Blister card



CP-522 Rotary Coaxial Cable Stripper




Replacement blade cassette:
5CP-505-RG
(1pcs/pack)




Black hook and loop for folding back the braided shield

Material		Application	OAL (mm)	Individual packing
Body	Blade			
ABS	SK5	coaxial cable RG59/6/7/11	128	Blister card

CP-505 Universal Stripping Tool



- Reversible stripping UTP/STP cable, flat telephone cable and coaxial cable with cutter function.



Replacement blade :
5CP-505-B
(4pcs/pack)



Replacement blade cassette:
5CP-505-RG
(1pcs/pack)




Black hook and loop for folding back the braided shield

Material		Application	OAL (mm)	Individual packing
Body	Blade			
ABS	SK5	Stripping UTP/STP twisted pair round cable, flat telephone cable, RG-59/11/7/6 coaxial cable	125	Blister card

CP-512 Rotary Coaxial Cable Stripper



- Designed for easy single operation of one step stripping RG-59/6/7/11 coaxial cable.
- Unique and safe design construction to avoid blade exposure and accident.
- Black hook for folding back the braided shield.



Replacement blade cassette:
5CP-505-RG
(1pcs/pack)



Black hook for folding back the braided shield



Quick strips
RG59/RG6/RG7/RG11



Material		Application	OAL (mm)	Individual packing
Body	Blade			
ABS	SK5	RG-59/6/7/11	94	Blister card

CP-521 Coaxial Stripping Tool




- Designed for stripping RG-58/59/6/62 coaxial cable
- Durable SK5 steel preset cutting blades provide precise, accurate cable stripping
- Special POM (Polyoxymethylene) structure, easy operation and force saving



Material		Application	OAL (mm)	Individual packing
Body	Blade			
POM	SK5	RG-58/59/6/62	115	Blister card

▶ 6PK-322 Rotary Coaxial Stripper



Material		Application	OAL (mm)	Individual packing
Body	Blade			
ABS	SK5	Thinnet RG-58/59/6 coax cable and other cable size	108	Blister card



▶ 6PK-312B/6PK-312S Rotary Coaxial Cable Stripper



6PK-312B





6PK-312S




Model No.	Material		Application	OAL (mm)	Individual packing
	Body	Blade			
6PK-312B	ABS	SK5	RG-58/59/62/3C/4C	105	Blister card
6PK-312S			For big cable O.D. around $\varnothing 10.5\text{mm}$, Such as RG213		

▶ 6PK-332 Rotary Coaxial Cable Stripper



Material		Application	OAL (mm)	Individual packing
Body	Blade			
ABS	SK5	RG-58/59/62/6/3C2V/4C/5C	98.5	Blister card

▶ CP-312B Rotary Coaxial Cable Stripper




Material		Application	OAL (mm)	Individual packing
Body	Blade			
ABS	SK5	RG-58/59/62/3C/4C	107	Blister card

▶ 8PK-CT002 Multi-Function Wire Strippers




- Compact and lightweight design for easy operation.
- Provide multifunction for cutting and stripping RG-58/59/62 coaxial cable, flat telephone cable, 26-16 AWG precision wire.
- Blades of stripping precision wire are quality built and carbon steel finished with black oxide to prevent rust.



Material		Application	OAL (mm)	Individual packing
Body	Blade			
ABS	SK5	Stripping: RG-58/59/62 coaxial cable, 6-26AWG precision wire, flat telephone cable, cutting: 3.5-9mm ²	125	Blister card

▶ 6PK-501N Coaxial Stripping Tool



- Slot "A" for stripping center core.
- Slot "B" for stripping outer jacket. Rotating each by 3 to 5 times in clockwise direction (as arrow)
- Stripping cables by 2 steps.

Material		Application	OAL (mm)	Individual packing
Body	Blade			
ABS	SK5	RG-58/59/62/6	100	Blister card

CP-326 / 8PK-325 / 8PK-325B / 8PK-335B / 8PK-502
Round Cable Slitting And Ringing Tool



8PK-325




**8PK-325B
8PK-335B**



8PK-502



CP-326



Cable slitting and stripping



Replacement blade :
5PK-325-BL



Replacement blade :
5PK-502-B



Replacement blade :
5CP-326-B

Model No.	Material			Application	O.A.L. (mm)	Individual packing
	Body	Blade	Blade holder			
8PK-325	ABS + Fiber glass	SK5	Plastic	Strip cables from $\phi 4.5$ -25mm ($\phi 0.18$ "-1.0") diameter	150	Blister card
8PK-325B			Metal	Strip cables from $\phi 4.5$ -25mm ($\phi 0.18$ "-1.0") diameter	150	
8PK-335B			Metal	Strip cables from $\phi 25$ -36mm ($\phi 1.0$ "-1.4") diameter	167	
8PK-502	Nylon+Fiber	SWP spring stell	-	Single or multiple conductor cable up to $\phi 1.75$ " ($\phi 44.5$ mm) blade can be adjusted for jacket thickness up to 0.125" (3.2mm)	140	
CP-326	ABS	Steel 412JZ	-	Strips 4-28mm (0.16"-1.1") cable	140	

8PK-CT001 UTP/STP Cable Stripper



A simple tool for UTP/STP cable. Just stripping 3 circles to extract the jacket of cable. Also a function for 110 punch down tool.

Material	Application	O.A.L. (mm)	Individual packing
poly-Resin	Stripping UTP/STP cable/ 110 Punch down	94	Blister card

CP-511A Universal Stripping Tool



Stripping regular cable



Stripping low volt cable

Material		Application	O.A.L. (mm)	Individual packing
Blade	Handle			
SK5	ABS + TPR	Regular cable AWG 20/18/16/14/12/10 (0.5/1.0/2.5/4.0/6.0 mm ² , RG59/RG6 coaxial cable, $\phi 8$ -13mm low-volt cable)	125	Blister card