

Rittal – The System.

Faster – better – everywhere.

► Component Shelf 2 U, Static Installation – DK 7119.400

Date : Feb 20, 2020

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE


SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Component Shelf 2 U, Static Installation – DK 7119.400

: 20.02.2020 build on www.rittal.com/ca-en



Product description

Version:	19"
Description:	Mounted on vertical 482.6 mm (19") rails.
Material:	Carbon steel
Surface finish:	Spray-finished
Color:	RAL 7035
Note:	Not suitable for combination with telescopic slides.

Product features

Dimensions:	Width: 482.6 mm (19 ") Width: 19" Depth: 400 mm (16 ")
Height units:	2 U
Load capacity:	25 kg surface load, static
Packaging unit:	1 pc(s).
Weight/packaging unit:	3.39 kg (7.5 lb.)
Copper weight (kg per piece):	0

EAN: 4028177187214

Customs tariff number: 94039010

ETIM 7.0: EC002620

ETIM 6.0: EC002620

eCl@ss 8.0/8.1: 27189261

eCl@ss 6.0/6.1: 27189261

Product description: DK Component shelf, WHD: 482,6x2 Ux400 mm, 25 kg, static, distance between levels:, static installation, For 482.6 mm (19") system punchings, RAL 7035
