

**Crimping tool
HTF 28**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

**Crimping tools for flat blade connectors and flat blade receptacles with open or rolled crimping claw**

- Ratchet guarantees precise crimping
- Release option in the event of incorrect operation
- With end stop for exact positioning of the contacts

General ordering data

| | |
|------------|--|
| Type | HTF 28 |
| Order No. | 9013090000 |
| Version | Crimping tool, Crimping tool for contacts, 0.1mm ² , 1mm ² , B-Crimp |
| GTIN (EAN) | 4008190129439 |
| Qty. | 1 pc(s). |

Data sheet

Crimping tool HTF 28

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 16
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com

Technical data

Dimensions and weights

| | | | |
|--------|--------|----------------|------------|
| Width | 200 mm | Width (inches) | 7.874 inch |
| Weight | 438 g | Net weight | 449.98 g |

Environmental Product Compliance

| | |
|------------|----------------|
| REACH SVHC | Lead 7439-92-1 |
|------------|----------------|

Technical data

| | |
|---------|---|
| Version | Mechanical, without interchangeable inserts |
|---------|---|

Description of contact

| | | | |
|----------------------|-------------------|----------------------|---------------------|
| Type of contact | F-plug / -sleeve | Crimping range, min. | 0.1 mm ² |
| Crimping range, max. | 1 mm ² | Plug width | 2.8 mm |

tool data crimping

| | | | |
|--------------------------|----------------------|--------------------------|----------------------|
| Crimping profile 1, min. | 0.1 mm ² | Crimping type/profile | B-Crimp |
| Crimping profile 1, max. | 0.25 mm ² | Crimping profile 2, min. | 0.25 mm ² |
| Crimping profile 2, max. | 0.5 mm ² | Crimping profile 3, min. | 0.6 mm ² |
| Crimping profile 3, max. | 1 mm ² | | |

Classifications

| | | | |
|------------|-------------|------------|-------------|
| ETIM 3.0 | EC000494 | ETIM 4.0 | EC000494 |
| ETIM 5.0 | EC000168 | ETIM 6.0 | EC000168 |
| UNSPSC | 41-11-36-37 | eClass 5.1 | 27-20-03-08 |
| eClass 6.2 | 21-04-38-11 | eClass 7.1 | 21-04-38-11 |
| eClass 8.1 | 21-04-38-11 | eClass 9.0 | 21-04-38-11 |
| eClass 9.1 | 21-04-38-11 | | |

Product information

| | |
|--------------------------------|--|
| Descriptive text ordering data | Additional accessories can be found in Chapter J |
|--------------------------------|--|

Approvals

Approvals



| | |
|------|---------|
| ROHS | Conform |
|------|---------|

Downloads

| | |
|---|---|
| Approval/Certificate/Document of Conformity | Declaration of the Manufacturer |
| Brochure/Catalogue | CAT 6 TOOLS 15/16 EN CAT 2 PORTFOLIOGUIDE EN |

Data sheet

**Crimping tool
HTF 28**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Drawings

