

# Rittal – The System.

Faster – better – everywhere.

## **Cast aluminium enclosures GA – GA 9105.210**

Date : Apr 12, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Cast aluminium enclosures GA – GA 9105.210

created: 12.04.2018 build on [www.rittal.com/th-en](http://www.rittal.com/th-en)



## Product description

**Material:** Enclosure: Cast aluminium  
Cover: Cast aluminium, all-round CR cellular rubber cord seal

**Surface finish:** Textured paint

**Colour:** RAL 7001

**Protection category  
IP to IEC 60 529:** IP 66

**Protection category  
NEMA:** NEMA 4

**IK Code:** IK08

**Supply includes:** Enclosure with cover  
Cover screws, captive  
Screws for attaching support rails  
Screw for connection of the PE conductor

**Product modification:** From September 2016, GA housings are delivered in an optimised design  
The enclosures have a Rittal logo on the lid and carry the CE label

**Basic material:** Cast aluminium

## Product features

**Dimensions:** Width: 125 mm  
Height: 80 mm  
Depth: 57 mm

<b>Packs of:</b>	1 pc(s).
<b>Weight/pack:</b>	0.44 kg
<b>EAN:</b>	4028177145375
<b>Customs tariff number:</b>	85389099
<b>ETIM 6.0:</b>	EC000261
<b>ETIM 5.0:</b>	EC000058
<b>eCl@ss 8.0/8.1:</b>	27180101
<b>eCl@ss 7.0/7.1:</b>	27180101
<b>eCl@ss 6.0/6.1:</b>	27180101
<b>eCl@ss 5.1/5.1.4:</b>	27180102
<b>Product description (long):</b>	GA Cast aluminium enclosure, WHD: 125x80x57 mm, Cast aluminum, without mounting plate, with cover
<b>Approvals</b>	
<b>Certificates:</b>	IK-Code Protection category
<b>Declarations:</b>	Declaration of conformity