

ENSTO

Enclosure PC

OPCP203013G

| | |
|-------------|---|
| Code | OPCP203013G |
| GTIN | 6418677184420 |
| Name | Enclosure PC Ensto Cubo O Size 200 x 300 x 132 mm, plain sides, grey cover, PC |
| Description | Ensto Cubo O is a series of medium to large size enclosures available with plain sides or metric knockouts. Special features of the series allow mounting the cover onto the back of the base and include adjustable elevators for the base corner slots, enabling plates and panels to be mounted at any height. |
| Vendor | Ensto Finland Oy |



Technical specification

Others

| | |
|-------------|--|
| Content: | Enclosure base, cover, cover screws, mounting screws |
| ETIM Class: | EC000261 |

Material

| | |
|---------------|-------------------------------------|
| Base: | Fiberglass reinforced polycarbonate |
| Cover: | Polycarbonate |
| Cover screws: | Polyamide |
| Gasket: | Polyurethane |

Colors

| | |
|--------|------|
| Color: | Grey |
|--------|------|

Certificates

| | |
|------------|--------|
| Standards: | GOST R |
|------------|--------|

Technical information

Material: Polycarbonate

Ratings

Degree of protection: IP66/IP67
Flammability rating: UL 746C 5 inch flame test

Dimensions

Depth: 132 mm
Height: 300 mm
Inner depth: 115 mm
Net Weight: 1.349 kg
Outer cover height: 30 mm
Size: 200 x 300 x 132
Volume : 792 cm³
Width: 200 mm

Mechanical

Impact strength: IK 08

Temperatures

Operating temperature: -40 ... 80 °C
Short term temperature range: -40 ... 120 °C

ETIM 7

Etim

Colour: Grey
Degree of protection (IP): IP67
Depth: 132 mm
Height: 300 mm
Impact strength: IK08
Material: Plastic
Material quality: Other
Mounting plate depth-adjustable: True
RAL-number: 7035
Suitable for outdoor set-up: True
Surface finishing: Untreated
Wall fastening possible: True
With mounting plate: False

Packaging

Default package

Unit: PCE
Package size: 1
Depth: 331 mm
Width: 231 mm

| | |
|----------------|-------------|
| Height: | 208 mm |
| Weight: | 1.518 kg |
| Volume: | 15.903888 l |