

[Home](#) > [Products](#) > [Electrical Terminals](#)

## Products

### Electrical Terminals

#### NON-INSULATED COPPER TERMINALS

#### INSULATED COPPER TERMINALS

VINYL-INSULATED TERMINALS (V SERIES)

VINYL-INSULATED(EASY ENTRY)TERMINALS (VE SERIES)

VINYL-INSULATED(MOLDED EASY ENTRY)TERMINALS (VY SERIES)

NYLON-INSULATED TERMINALS (NY SERIES)

## INSULATED COPPER TERMINALS

[Product Overview](#)

[Barrel Types](#)

[Terminals Type](#)


[Wire Range](#)

[Stud Size](#)

» [INSULATED COPPER TERMINALS](#) » [VINYL-INSULATED\(EASY ENTRY\)TERMINALS \(VE SERIES\)](#)

### VINYL-INSULATED (EASY ENTRY) RING TERMINALS





PC-INSULATED TERMINALS (NI SERIES)

VINYL-INSULATED DOUBLE CRIMP DISCONNECTORS TERMINALS (D SERIES)

NYLON-INSULATED DOUBLE CRIMP DISCONNECTORS TERMINALS(NYD SERIES)

INSULATED COPPER TUBULAR LUGS

INSULATED QUICK DISCONNECTORS

DIN TERMINALS

CORD END TERMINALS

WATER PROOF HEAT SHRINKABLE TERMINALS (WITH ADHESIVE TUBING)

BUTT SPLICE & OTHER CONNECTORS

STAINLESS STEEL TIE

Nylon Cable Ties

JIS TERMINALS

**MAXIMUM ELECTRIC CURRENT:**

A.W.G.	22	20	18	16	14	12	10
AMP.	9	12	17	18	30	35	50

**MAXIMUM ELECTRICAL RATING: 105°C 600 VOLTS MAX.**

**INSULATION MATERIAL: VINYL**

**INSULATION COLOR:**

22-16A.W.G.: RED  16-14A.W.G.: BLUE

12-10A.W.G.: YELLOW

**TERMINAL MATERIAL: COPPER**

Product List (Total: 42 records)

Data Source Page NO. : [P.104](#), [P.105](#),

WIRE RANGE A.W.G. mm <sup>2</sup>	ITEM NO.		STUD SIZE		DIMENSION inch(mm)						Q'TY BOX	
	BRAZED SEAM	BUTTED SEAM	d2		W	F	L	E	D	d1		T
22-16 A.W.G. 0.5-1.5 mm <sup>2</sup>	RVEB1-3.2	RVE1-3.2	#4	0.126 3.2	0.217	0.197	0.736	0.441	0.157	0.067	0.031	1000
						5.5	5	18.7	11.2	4.000	1.7	
	RVEBS1-3.7	RVES1-3.7	#6	0.146 3.7	0.217	0.197	0.736	0.441	0.157	0.067	0.031	1000

BATTERY MODULAR CONNECTORS					5.5	5	18.7	11.2	4.000	1.7	0.75	
	RVEBM1-3.7	RVEM1-3.7	#6	0.146 3.7	0.26 6.6	0.248	0.811	0.441	0.157	0.067	0.031	1000
TOOLS						6.3	20.6	11.2	4.000	1.7	0.75	
	RVEBL1-3.7	RVEL1-3.7	#6	0.146 3.7	0.315 8	0.276 7	0.866 22	0.441 11.2	0.157 4.000	0.067 1.7	0.031 0.75	1000
CONTINUAL TYPE TERMINALS												
WHITE GOODS TERMINALS & HOUSINGS												
	RVEBS1-4	RVES1-4	#8	0.169 4.3	0.26 6.6	0.248	0.811	0.441	0.157	0.067	0.031	1000
AUTOMOTIVE CONNECTORS												
	RVEBL1-4	RVEL1-4	#8	0.169 4.3	0.315 8	0.276 7	0.866 22	0.441 11.2	0.157 4.000	0.067 1.7	0.031 0.75	1000
Lighting system												
	RVEB1-5	RVE1-5	#10	0.209 5.3	0.315 8	0.276 7	0.866 22	0.441 11.2	0.157 4.000	0.067 1.7	0.031 0.75	1000
Charging Connectors for Electric Vehicles												
	RVEBL1-5	RVEL1-5	#10	0.209 5.3	0.457 11.6	0.433 11	1.102 28	0.441 11.2	0.157 4.000	0.067 1.7	0.031 0.75	1000
Automotive Connectors												
	RVEB1-6	RVE1-6	1/4	0.252 6.4	0.457 11.6	0.433 11	1.102 28	0.441 11.2	0.157 4.000	0.067 1.7	0.031 0.75	1000
Nylon Cable Ties												
	RVEB1-8	RVE1-8	5/16	0.331 8.4	0.457 11.6	0.433 11	1.102 28	0.441 11.2	0.157 4.000	0.067 1.7	0.031 0.75	1000
Green Energy Connector												
	RVEB1-10	RVE1-10	3/8	0.413 10.5	0.535 13.6	0.547 13.9	1.248 31.7	0.441 11.2	0.157 4.000	0.067 1.7	0.031 0.75	1000
	RVEB1-12	RVE1-12	1/2	0.512 13	0.772 19.6	0.63 16	1.441 36.6	0.441 11.2	0.157 4.000	0.067 1.7	0.031 0.75	1000
	RVEB1-14	RVE1-14	9/16	0.591 15	1.063 27	0.827 21	1.791 45.5	0.441 11.2	0.157 4.000	0.067 1.7	0.031 0.8	1000
	RVEB1-	RVE1-	5/8	0.669	1.063	0.827	1.791	0.441	0.157	0.067	0.031	1000

	16	16		17	27	21	45.5	11.2	4.000	1.7	0.8	
	RVEB1-20	RVE1-20	3/4	0.827 21	1.063	0.827	1.791	0.441	0.157	0.067	0.031	1000
					27	21	45.5	11.2	4.000	1.7	0.8	
16-14 A.W.G. 1.5-2.5 mm <sup>2</sup>	RVEB2-3.2	RVE2-3.2	#4	0.126 3.2	0.26 6.6	0.189	0.76 19.3	0.453	0.177	0.091	0.031	1000
						4.8		11.5	4.500	2.3	0.8	
	RVEBS2-3.7	RVES2-3.7	#6	0.146 3.7	0.26 6.6	0.189	0.76 19.3	0.453	0.177	0.091	0.031	1000
						4.8		11.5	4.500	2.3	0.8	
	RVEBM2-3.7	RVEM2-3.7	#6	0.146 3.7	0.26 6.6	0.248	0.823	0.453	0.177	0.091	0.031	1000
						6.3	20.9	11.5	4.500	2.3	0.8	
	RVEBL2-3.7	RVEL2-3.7	#6	0.146 3.7	0.335	0.291	0.917	0.453	0.177	0.091	0.031	1000
					8.5	7.4	23.3	11.5	4.500	2.3	0.8	
	RVEBS2-4	RVES2-4	#8	0.169 4.3	0.26 6.6	0.248	0.823	0.453	0.177	0.091	0.031	1000
						6.3	20.9	11.5	4.500	2.3	0.8	
	RVEBL2-4	RVEL2-4	#8	0.169 4.3	0.335	0.307	0.917	0.453	0.177	0.091	0.031	1000
						8.5	7.8	23.3	11.5	4.500	2.3	0.8
	RVEBS2-5	RVES2-5	#10	0.209 5.3	0.335	0.307	0.917	0.453	0.177	0.091	0.031	1000
						8.5	7.8	23.3	11.5	4.500	2.3	0.8

Data Source Page NO. : [P.104](#), [P.105](#),



(R.O.C.)

Tel: 886-4-7582765

Fax: 886-4-7582786

E-mail: [exp@ksterminals.com.tw](mailto:exp@ksterminals.com.tw)

• [Contact Us](#)



COPYRIGHT © K.S.TERMINALS INC. Design By e-Giant, B2B Global-Trade, Global Machine, Global Bicycle, Shopping HiGo.