



KST™

Future Connection

**SOLDERLESS
TERMINALS
CONNECTORS**



E96029 E128651 E96029 E128651 LR83574 E131576 E131576
E214907

K. S. TERMINALS INC.

NO.8, ZHANGBIN E. 3rd ROAD , XIANXI TOWNSHIP, CHANGHUA COUNTY 507, TAIWAN

MAIL: P.O.BOX 66, XIANXI, TAIWAN, 507

SALES/TEL:886-4-7582765 FAX:886-4-7582786

<http://www.ksterminals.com>
e-mail:exp@ksterminals.com.tw

RING TERMINALS

SPADE TERMINALS

AWG22-16 (0.5-1.5mm ²)					
STUD SIZE	#4/3.2mm	#6/3.7mm	#6/3.7mm	#6/3.7mm	#8/4.3mm
VINYL INS.	RV1-3.2	RVS1-3.7	RVM1-3.7	RVL1-3.7	RVS1-4
NON-INS.	RNB1-3.2	RNBS1-3.7	RNBM1-3.7	RNBL1-3.7	RNBS1-4
AWG22-16 (0.5-1.5mm ²)					
STUD SIZE	#8/4.3mm	#10/5.3mm	1/4"/6.4mm	5/16"/8.4mm	3/8"/10.5mm
VINYL INS.	RVL1-4	RV1-5	RV1-6	RV1-8	RV1-10
NON-INS.	RNBL1-4	RNB1-5	RNB1-6	RNB1-8	RNB1-10
AWG16-14 (1.5-2.5mm ²)					
STUD SIZE	#4/3.2mm	#6/3.7mm	#6/3.7mm	#6/3.7mm	#8/4.3mm
VINYL INS.	RV2-3.2	RVS2-3.7	RVM2-3.7	RVL2-3.7	RVS2-4
NON-INS.	RNB2-3.2	RNBS2-3.7	RNBM2-3.7	RNBL2-3.7	RNBS2-4
AWG16-14 (1.5-2.5mm ²)					
STUD SIZE	#8/4.3mm	#10/5.3mm	#10/5.3mm	1/4"/6.4mm	5/16"/8.4mm
VINYL INS.	RVL2-4	RVS2-5	RVL2-5	RV2-6	RV2-8
NON-INS.	RNBL2-4	RNBS2-5	RNBL2-5	RNB2-6	RNB2-8
AWG12-10 (4-6mm ²)					
STUD SIZE	#6/3.7mm	#8/4.3mm	#8/4.3mm	#10/5.3mm	3/8"/10.5mm
VINYL INS.	RV5-3.7	RVS5-4	RVL5-4	RV5-5	RV2-10
NON-INS.	RNB5-3.7	RNBS5-4	RNBL5-4	RNB5-5	RNB2-10
AWG12-10 (4-6mm ²)					
STUD SIZE	1/4"/6.4mm	5/16"/8.4mm	5/16"/8.4mm	3/8"/10.5mm	1/2"/13.0mm
VINYL INS.	RV5-6	RV5/8	RV5/8	RV5-10	RV5-12
NON-INS.	RNB5-6	RNB5/8	RNB5/8	RNB5-10	RNB5-12
AWG22-16 (0.5-1.5mm ²)					
STUD SIZE	#4/3.2mm	#6/3.7mm	#6/3.7mm	#8/4.3mm	#8/4.3mm
VINYL INS.	SV1-3.2	SVS1-3.7	SVL1-3.7	SVS1-4	SVM1-4
NON-INS.	SNB1-3.2	SNBS1-3.7	SNBL1-3.7	SNBS1-4	SNBM1-4
AWG22-16 (0.5-1.5mm ²)					
STUD SIZE	#8/4.3mm	#10/5.3mm	#10/5.3mm	1/4"/6.4mm	1/4"/6.4mm
VINYL INS.	SVL1-4	SVS1-5	SVL1-5	SVS1-6	SVL1-6
NON-INS.	SNBL1-4	SNBS1-5	SNBL1-5	SNBS1-6	SNBL1-6
AWG16-14 (1.5-2.5mm ²)					
STUD SIZE	#4/3.2mm	#6/3.7mm	#6/3.7mm	#8/4.3mm	#8/4.3mm
VINYL INS.	SV2-3.2	SVS2-3.7	SVL2-3.7	SVS2-4	SNM2-4
NON-INS.	SNB2-3.2	SNBS2-3.7	SNBL2-3.7	SNBS2-4	SNBM2-4
AWG16-14 (1.5-2.5mm ²)					
STUD SIZE	#8/4.3mm	#10/5.3mm	#10/5.3mm	1/4"/6.4mm	5/16"/8.4mm
VINYL INS.	SVL2-4	SVS2-5	SVL2-5	SVS2-6	SV5-8
NON-INS.	SNBL2-4	SNBS2-5	SNBL2-5	SNBS2-6	SNB5-8
AWG12-10 (4-6mm ²)					
STUD SIZE	#6/3.7mm	#8/4.3mm	#8/4.3mm	#10/5.3mm	1/4"/6.4mm
VINYL INS.	SV5-3.7	SVS5-4	SVL5-4	SV5-5	SVL5-6
NON-INS.	SNB5-3.7	SNBS5-4	SNBL5-4	SNB5-5	SNBL5-6



Future Connection

EXAMPLE: $\frac{R}{(1)} \frac{V}{(2)} \frac{S}{(3)} \frac{1}{(4)} \frac{-3.7}{(5)}$ (1) R-TERMINAL TYPE
 (2) V-BARREL TYPE INSULATION MATERIAL
 (3) S-WIDTH SIZE
 (4) 1-WIRE RANGE
 (5) 3.7-STUD SIZE (mm)




















EXAMPLE: RN1-3.2, RNB1-3.2, RV1-3.2, RNI1-3.2, RD1-3.2, RNYD1-3.2, ...etc.

NYLON TERMINALS	AWG26-22 DIN 0.1-0.5mm ²							
	STUD SIZE NYLON INS. NON-INS.	2mm DRNY2-0.5 DRNB2-0.5	2.5mm DRNY2.5-0.5 DRNB2.5-0.5	3mm DRNY3-0.5 DRNB3-0.5	3.5mm DRNY3.5-0.5 DRNB3.5-0.5	4mm DRNY4-0.5 DRNB4-0.5	5mm DRNY5-0.5 DRNB5-0.5	
	AWG26-22 DIN 0.1-0.5mm ²							
	STUD SIZE NYLON INS. NON-INS.	2mm DSNY2-0.5 DSNB2-0.5	2.5mm DSNY2.5-0.5 DSNB2.5-0.5	3mm DSNY3-0.5 DSNB3-0.5	3.5mm DSNY3.5-0.5 DSNB3.5-0.5	4mm DSNY4-0.5 DSNB4-0.5	5mm DSNY5-0.5 DSNB5-0.5	
MALE & FEMALE DISCONNECTS	AWG26-22 DIN 0.1-0.5mm ²							
	PNYT0.5		BNYT0.5					
	PTNY0.5-9							
	FDD0.5-110(5)							
	FDD0.5-110(8)							
	FEMALE							
	NEMA TAB inch/mm SINGLE CRIMP DOUBLE CRIMP	.110x.020/.032 2.8x0.5/0.8 FDV1-110(5)/(8) FDD1-110(5)/(8)	.187x.020/.032 4.75x0.5/0.8 FDV1-187(5)/(8) FDD1-187(5)/(8)	.205x.020 5.2x0.5 FDV1-205 FDD1-205	.250x.032 6.35x0.8 FDV1-250 FDD1-250	.250x.032 6.35x0.8 FDV5-250 FDD5-250	.375x.048 9.4x1.2 FDV5-375 FDD5-375	
	FEMALE							
	NEMA TAB inch/mm SINGLE CRIMP DOUBLE CRIMP	.110x.020/.032 2.8x0.5/0.8 FDV2-110(5)/(8) FDD2-110(5)/(8)	.187x.020/.032 4.75x0.5/0.8 FDV2-187(5)/(8) FDD2-187(5)/(8)	.205x.020 5.2x0.5 FDV2-205 FDD2-205	.250x.032 6.35x0.8 FDV2-250 FDD2-250	.312x.032 8.0x0.8 FDV2-312 FDD2-312	.375x.048 9.4x1.2 FDV2-375 FDD2-375	
	MALE							
NEMA TAB inch/mm SINGLE CRIMP DOUBLE CRIMP	.110x.020/.032 2.8x0.5/0.8 MDV1-110(5)/(8) MDD1-110(5)/(8)	.187x.020/.032 4.75x0.5/0.8 MDV1-187(5)/(8) MDD1-187(5)/(8)	.250x.032 6.35x0.8 MDV1-250 MDD1-250	.187x.020/.032 4.75x0.5/0.8 MDV2-187(5)/(8) MDD2-187(5)/(8)	.250x.032 6.35x0.8 MDV2-250 MDD2-250	.250x.032 6.35x0.8 MDV5-250 MDD5-250		
FULLY INSULATED FEMALE								
NEMA TAB inch/mm SINGLE CRIMP DOUBLE CRIMP	.187x.020/.032 4.75x0.5/0.8 FDFV1-187(5)/(8) FDFD1-187(5)/(8)	.250x.032 6.35x0.8 FDFV1-250 FDFD1-250	.187x.020/.032 4.75x0.5/0.8 FDFV2-187(5)/(8) FDFD2-187(5)/(8)	.250x.032 6.35x0.8 FDFV2-250 FDFD2-250	.250x.032 6.35x0.8 FDFV5-250 FDFD5-250	.375x.048 9.4x1.2 FDFV5-375 FDFD5-375		
BULLET & RECEPTACLE CONNECTORS	BULLET						PIGGY BACK DISCONNECTS	
	Ø SIZE SINGLE CRIMP DOUBLE CRIMP	.156/4mm MPV1-156 MPD1-156	.156/4mm MPV2-156 MPD2-156	.195/5mm MPV2-195 MPD2-195	.195/5mm MPV5-195 MPD5-195			
	RECEPTACLE							
	Ø SIZE SINGLE CRIMP DOUBLE CRIMP	.156/4mm FRV1-156 FRD1-156	.156/4mm FRV2-156 FRD2-156	.195/5mm FRV2-195 FRD2-195	.195/5mm FRV5-195 FRD5-195	.250x.032/6.35x0.8 PBDD1-250 PBDD1-250		
	FULLY NYLON INSULATED BULLET							
	Ø SIZE SINGLE CRIMP DOUBLE CRIMP	.156/4mm MPFNY1-156	.156/4mm MPFNY2-156	.156/4mm MPFNYD1-156	.156/4mm MPFNYD2-156	.250x.032/6.35x0.8 PBDDV1-250 PBDDV1-250		
	FULLY NYLON INSULATED RECEPTACLE							
Ø SIZE SINGLE CRIMP DOUBLE CRIMP	.156/4mm FRFNY1-156	.156/4mm FRFNY2-156	.156/4mm FRFNYD1-156	.156/4mm FRFNYD2-156	.250x.032/6.35x0.8 PBDDV5-250 PBDDV5-250			

STUD SIZE: mm - inch mm - inch
 3.2 - #4 6.4 - 1/4"
 3.7 - #6 8.4 - 5/16"
 4.3 - #8 10.5 - 3/8"
 5.3 - #10 13.0 - 1/2"























INSULATED COLOR & WIRE RANGE: YELLOW: 0.5mm² =AWG26-22=DIN 0.1-0.5mm²
RED: 1.25mm² =AWG22-16=DIN 0.5-1.5mm²
BLUE: 2mm² =AWG16-14=DIN 1.5-2.5mm²
YELLOW: 5.5mm² =AWG12-10=DIN 2.5-6mm²

*** WITH PVC / NYLON / PC / HEAT SHRINKABLE TUBE INSULATION. NORMAL ENTRY, EASY ENTRY, SINGLE CRIMP, DOUBLE CRIMP. * TIN / SILVER / GOLD PLATING ALL AVAILABLE.**

FULLY NYLON INSULATED FEMALE DISCONNECTS .250x.032/6.35x0.8			
	FDFN1-250 FDFN2-250 FDFN5-250 FDFNY1-250 FDFNY2-250 FDFNY5-250		
FULLY NYLON INSULATED MALE DISCONNECTS .250x.032/6.35x0.8			
	MDFN1-250 MDFN2-250 MDFN5-250 MDFNY1-250 MDFNY2-250 MDFNY5-250		
VINYL INS. PARALLEL CONNECTORS		STRIPPING QUICK SPLICE	
VINYL INS. BUTT CONNECTORS			
NYLON INS. STRAIGHT BUTT CONNECTORS			
NYLON INS. FLARED BUTT CONNECTORS			
WINDOW BUTT CONNECTOR WITH EASY ENTRY TUBULAR			
PC INS. FLARED BUTT CONNECTORS			
HEAT SHRINKABLE BUTT CONNECTORS WITH TUBULAR & WATER PROOF			
WIRE CAP TWIST ON WIRE JOINT WITH RAPERED SPRING INSERT			
	WN1-GREY WN2-BLUE WN3-ORANGE WN6-RED		
CLOSE END CONNECTORS			
	CE1 CE2 CE5 CE8		
CLOSE END CONNECTORS (FLAT HEAD)			
	PB1 PB2 PB5 PB8		


BARREL TYPE: N TYPE: NON-INSULATED BUTTED SEAM TERMINAL
 NB TYPE: NON-INSULATED BRAZED SEAM TERMINAL
 V TYPE: VINYL INSULATED SINGLE CRIMP TERMINAL
 NY TYPE: NYLON INSULATED SINGLE CRIMP TERMINAL
 NI TYPE: PC INSULATED
 D TYPE: VINYL INSULATED DOUBLE CRIMP TERMINAL
 NYD TYPE: NYLON INSULATED DOUBLE CRIMP TERMINAL

TERMINAL TYPE: R : RING TERMINAL
 S : SPADE TERMINAL
 LS : LOCKING SPADE TERMINAL
 FS : FLANGE SPADE TERMINAL
 H : HOOK TERMINAL
 P : PIN TERMINAL
 LB : LIPPED BLADE TERMINAL
 DB : BLADE TERMINAL
 E : CORD END TERMINAL

LIPPED BLADE TERMINALS		FLAG DISCONNECTS
	<p>LBV1-3 LBV2-3 LBV5-3</p>	
		
FLANGED SPADE TERMINALS		
	<p>FSV1-3.7 FSV1-4 FSV1-5</p>	2 WAY BULLET RECEPTACLE
		
	<p>FSV2-3.7 FSV2-4 FSV2-5</p>	<p>DWBR156 (Ø = .156/4mm)</p>
		3 WAY DISCONNECTS 4 WAY DISCONNECTS
	<p>FSV5-3.7 FSV5-4 FSV5-5</p>	
HOOK TERMINALS		<p>3WCV1 4WCV1</p>
	<p>HV1-3.7 HV1-4 HV1-5</p>	
		<p>3WCV2 4WCV2</p>
	<p>HV2-3.7 HV2-4 HV2-5</p>	
		<p>3WCV5 4WCV5</p>
<p>HV5-3.7 HV5-4 HV5-5</p>	IGNITION TERMINALS	
PIN TERMINALS		<p>IT1 IT2 IT3</p>
	<p>PTV1-10 PTV1-12 PTV1-13</p>	
		
	<p>PTV2-10 PTV2-12 PTV2-13</p>	
BLADE TERMINALS		
	<p>2.3x10 DBV1-10 3.0x14 DBV1-14 2.3x18 DBV1-18</p>	
		
	<p>2.3x10 DBV2-10 2.4x13 DBV2-13 2.3x18 DBV2-18</p>	
		
<p>2.8x10 DBV5-10 4.5x14 DBV5-14</p>		
LOCKING SPADE TERMINAL		
	<p>LSV1-3.7 LSV1-4 LSV1-5</p>	
		
	<p>LSV2-3.7 LSV2-4 LSV2-5</p>	
		
<p>LSV5-4 LSV5-5</p>		

TERMINAL TYPE: MDF : FULL INSULATED MALE DISCONNECT
 FDF : FULL INSULATED FEMALE DISCONNECT
 FD : FEMALE DISCONNECT
 MD : MALE DISCONNECT
 PBD : PIGGY BACK DISCONNECT
 FR : RECEPTACLE DISCONNECT
 MP : BULLET DISCONNECT
 FLD : FLAG FEMALE DISCONNECT
 3WC : 3-WAY CONNECTOR
 4WC : 4-WAY CONNECTOR

PNT : NON-INSULATED SEAMLESS TUBE PARALLEL CONNECTOR
 BNT : NON-INSULATED SEAMLESS TUBE BUTT CONNECTOR
 BVS : VINYL INSULATED BUTT SEAM BRASS CONNECTOR
 BV : VINYL INSULATED BUTT SEAM COPPER CONNECTOR
 PVT : VINYL INSULATED SEAMLESS TUBE PARALLEL CONNECTOR
 BNY : NYLON INSULATED BUTT SEAM CONNECTOR
 WBNY : NYLON INSULATED WINDOW BUTT WITH EASY ENTRY TUBULAR SLEEVE CONNECTOR
 BHT : HEAT SHRINKABLE SEAMLESS TUBE BUTT CONNECTOR



CORD END TERMINALS

ITEM NO.	WIRE mm ²	F	C	D	FRENCH COLOR	GERMAN COLOR	DIN COLOR
E0206 E0208	0.25	6 8	0.8	1.1	VIOLET 	LIGHT BLUE 	
E0306 E0308	0.34	6 8	0.8	1.1	PINK 	TURQUOISE 	
E0506 E0508	0.5	6 8	1.0	1.3	WHITE 	ORANGE 	WHITE 
E7506 E7508 E7512	0.75	6 8 12	1.2	1.5	BLUE 	WHITE 	GREY 
E1006 E1008 E1012	1.0	6 8 12	1.4	1.7	RED 	YELLOW 	RED 
E1508 E1510 E1518	1.5	8 10 18	1.7	2.0	BLACK 	RED 	BLACK 
E2508 E2512 E2518	2.5	8 12 18	2.3	2.6	GREY 	BLUE 	BLUE 
E4009 E4012 E4018	4.0	9 12 18	2.8	3.2	ORANGE 	GREY 	GREY 
E6012 E6018	6.0	12 18	3.5	3.9	GREEN 	BLACK 	YELLOW 
E10-12 E10-18	10	12 18	4.5	4.9	BROWN 	IVORY 	RED 
E16-12 E16-18	16	12 18	5.8	6.2	IVORY 	GREEN 	BLUE 
E25-16 E25-22	25	16 22	7.5	7.9	BLACK 	BROWN 	YELLOW 
E35-16 E35-25	35	16 25	8.3	8.7	RED 	BEIGE 	RED 
E50-20 E50-25	50	20 25	10.3	10.9	BLUE 	OLIVE 	BLUE 
E70-20	70	20	13.5	14.3	YELLOW 	YELLOW 	YELLOW 
E95-25	  						
E120-27	<p>E95-25 RED L=25 C=14.5 D=15.3</p> <p>E120-27 BLUE L=27 C=16.5 D=17.5</p> <p>E150-32 YELLOW L=32 C=19.5 D=20.5</p>						
E150-32							

NON-INS. CORD END TERMINAL		TWIN CORD END TERMINALS							VINYL SLEEVE	
		(DIN color)		F	D	C	D2	D3		
EN0506										
EN7506	TE0508	WHITE		8	1.8	1.5	3.6	5.6		
EN1006	TE7508 TE7510	GREY		8 10	2.1	1.8	3.5	6.2		
EN1507	TE1008 TE1010	RED		8 10	2.3	2.0	4.0	6.0		
EN2507	TE1508 TE1512	BLACK		8 13	2.6	2.3	4.2	7.2		
EN4012	TE2510 TE2513	BLUE		10 13	3.3	2.9	5.0	8.5		
EN6010	TE4012	GREY		12	4.2	3.8	5.7	9.2		
EN10-15	TE6014	YELLOW		14	5.3	4.9	6.8	10.5		
EN16-15	TE10-14	RED		14	6.9	6.5	8.0	13.0		
EN25-18	TE16-14	BLUE		14	8.7	8.3	10.5	19.3		
EN35-20	OPEN BARREL TERMINALS									
EN50-22										
	DW TSFSOLR		CWALR		T WALR		FLDNG2-250		Ø5.3 PC1L25005LR	
EN70-25										
	2.8x0.8 PC110-948LR		6.35x0.8 PC250-901LR		6.35x0.8 PC250-836LR		Ø4.3 PC1225004LR		Ø4.3-45° PC2L25004LR	
EN95-25										
	WITH STOPPER 2.8x0.5 906LR		WITH STOPPER 6.4x0.8 905LR		FMT250LR		ACTILR		ACTHLR	
EN120-32										
	6.4x0.8 501LR		WITH STOPPER 6.4x0.8 601LR		Ø3.5-MALE 351LR		Ø3.5-FEMALE 352LR		Ø4-MALE 401LR	
EN150-32										
	6.4x0.8 503LR		4.8x0.5 604LR		WITH STOPPER 2.8x0.5 605LR		2.8x0.5 606LR		5.2x0.5 607LR	
									6.4x0.8 608LR	



TWK SERIES
TWK-208 AUTO ELECTRICAL REPAIR KIT



TK21 SERIES
401PCS, 500PCS, 1000PCS
TERMINALS KIT
IN STEEL BOX, WITH
PROFESSIONAL CRIMPER



HANG TYPE PLASTIC BOX
25, 50, 100PCS PER BOX



K18-176
175PCS TERMINAL
WITH CRIMPER



K19-201
200PCS TERMINALS
WITH PROFESSIONAL
CRIMPER



K23 SERIES
K23-321 WITH CRIMPER



HRI-126J
CRIMPING INSULATED TERMINALS
1. RED 22-16 AWG (1.25mm²)
2. BLUE 16-14 AWG (2mm²)
3. YELLOW 12-10AWG (5.5mm²)



LY-2026(1305)
CRIMPING INSULATED TERMINALS
1: 22-18 AWG (1.25mm²)
2: 16-14 AWG (2mm²)
3: 12-10 AWG (5.5mm²)



LY-2026(1306)
CRIMPING OPEN BARREL TERMINALS
1: RED 22-16 AWG (1.25mm²)
2: BLUE 16-14 AWG (2mm²)
3: YELLOW 12-10 AWG (5.5mm²)



TRAY CARD KIT
60 PCS TERMINALS KIT
TCK-60 60PCS



BLISTER CARD



LY-2026(1307)
CRIMPING CORD END TERMINALS
1: 0.5-0.75mm² 2: 1.0mm² 3: 1.5mm²
4: 2.5mm² 5: 4.0mm² 6: 6.0mm²



LY-2026(1322)
CRIMPING NON-INSULATED TERMINALS
1: 22-16 AWG (1.25mm²)
2: 16-14 AWG (2mm²)
3: 12-10 AWG (5.5mm²)
4: 8 AWG (8mm²)



K8 SERIES
150PCS TERMINALS KIT
100PCS TERMINALS KIT



K12 SERIES
144PCS TERMINALS KIT



K18 SERIES
200PCS TERMINALS KIT
175PCS TERMINALS KIT
150PCS TERMINALS KIT



DUBLE BLISTER CARD