

ENSTO

Cabinet wall installation PC

UPCG181610HMLF



Code	UPCG181610HMLF
GTIN	6438100213220
Name	Cabinet wall installation PC Ensto PolyBox Size 18.0 x 16.0 x 10.0 in, Polycarbonate Wall mount Enclosure, Hinged Metal Snap Latch, Opaque Cover, Mounting Flange
Description	Ensto PolyBox is a product family specifically designed for the US market. Robust and tightly sealed, our new JIC sized enclosures are made from top quality polycarbonate. A wide range of configurations can be customized with multiple features.
Vendor	Ensto Finland Oy

Technical specification

Others

ETIM Class: EC000261

Material

Gasket: Polyurethane

Colors

Color: Grey

Color code: RAL7035

Certificates

Standards: UL 508A

US specific

Depth inch: 11.27 in

Environmental type: 4X, 12, 13, 6P

Height inch: 18.99 in

Inner depth inch: 10.13 in

Operating temperature °F:	-40 ... 176 °F
Short term temperature range °F:	-40 ... 248 °F
Size inch:	18.99 x 18.16 x 11.27 in
Weight pound:	11.27 lb
Width inch:	18.16 in

Technical information

Material:	Polycarbonate
-----------	---------------

Ratings

Degree of protection:	IP69
Flammability rating:	UL 746C 5 inch flame test
Rated voltage:	1000 ... 1500 V

Dimensions

Depth:	286 mm
Height:	482 mm
Inner depth:	257 mm
Net Weight:	5.113 kg
Size:	482 x 461 x 286 mm
Volume :	63.55 cm ³
Width:	461 mm

Mechanical

Impact strength:	IK10 +40C° / -35C°
------------------	--------------------

Temperatures

Operating temperature:	-40 ... 80 °C
Short term temperature range:	-40 ... 120 °C

ETIM 7

Etim

Colour:	Grey
Degree of protection (NEMA):	6P
Depth:	286 mm
EMC-version:	False
Floor installation possible:	False
Height:	482 mm
Impact strength:	IK10
Material:	Plastic
Material quality:	Other
Mounting plate depth-adjustable:	True
Number of doors:	1
Pitched roof:	False
Pole fastening:	True
RAL-number:	7035

Suitable for metrical mounting:	False
Suitable for outdoor set-up:	True
Surface finishing:	Untreated
Tackable:	False
Wall build in:	False
Wall fastening possible:	True
With backside door:	False
With glazed door:	False
With mounting plate:	False
With ventilation door:	False

Packaging

Default package

Unit:	PCE
Package size:	1
Depth:	485 mm
Width:	485 mm
Height:	290 mm
Weight:	5.113 kg
Volume:	68.21525 l