



U.I. Lapp GmbH	PRODUCT INFORMATION	
	SKINTOP® BRUSH ADD-ON	07.11.2014

Optimum, low-resistance 360° screen contact
Cutting edges cut through the insulating layer of the housing or switch cabinets,
thus guaranteeing an optimum EMC contact
Easy disassembling
Visible, large-scale screen contact
Uncomplicated and reliable



Reliability



Voltage



Interference signals



Temperature-resistant

Info

Innovative EMC add-on for SKINTOP® ST(R)-M polyamide cableglands.
Worlds first patented active EMC lock-nut!

Application range

For EMC-compliant earthing of the copper braiding, or for cables with copper shaft sheath
For EMC-contact at through bore-holes
Control cabinet manufacturing
Automation systems
Conveyor and transport systems

Product Make-up

Metric connection thread acc. to EN 50262

Remark

Photographs are not to scale and do not represent detailed images of the respective products.


Technical Data

Caution:	Refer to Appendix T21 for the installation dimensions and torques Apply SKINTOP® ST-M torques
Approvals:	UL pending
Classification:	ETIM 5.0 Class-ID: EC000441 ETIM 5.0 Class-Description: cable screw gland
Material:	Body: nickel-plated brass EMC brush: brass
On request:	In stainless steel V2A available
Temperature range:	Dynamic: -20°C to +100°C

Product Management	Document: LAPP_PRO208870EN.pdf	1 / 3
--------------------	--------------------------------	-------



Part number	Article designation / size	Minimum Ø above braiding (mm)	SW (mm)	Thread length/ D (mm)	Pieces / PU
54110839	M 12 x 1,5	4	24	10.0	25
54110840	M 16 x 1,5	5	24	10.0	25
54110841	M 20 x 1,5	5	24	10.0	10
54110842	M 25 x 1,5	5	30	10.0	10
54110843	M 32 x 1,5	8	39	12.0	10
54110844	M 40 x 1,5	10	47	12.0	5
54110845	M 50 x 1,5	14	56	12.0	5
54110846	M 63 x 1,5	14	63	12.0	5

U.I. Lapp GmbH	PRODUCT INFORMATION	 LAPP GROUP
	SKINTOP® BRUSH ADD-ON	07.11.2014



Product Management	Document: LAPP_PRO208870EN.pdf	3 / 3
--------------------	--------------------------------	-------