

U.I. Lapp GmbH	PRODUCT INFORMATION	
	SKINTOP® CLICK SORTIMO® T-BOXX	07.11.2014

Fewer parts, counter nut no longer needed
 Save up to 70% of the time with the innovative CLICK system
 Simple, free assembly in any position
 Vibration protection
 No thread required



Good chemical resistance



Wide clamping range



Assembly time



Temperature-resistant



Variety of approval certifications

Info

The most innovative cable insertion system in the market for a fast and highly flexible assembly. Simply click in - turn to the left - turn to the right - finished. The result: fixed, centred, strain-relieved fitting and maximum protection class in a few seconds. Optimal order in the practical SORTIMO® T-BOXX

Application range

Automation technology
 Solar applications
 Control cabinet manufacturing
 Air-conditioning technology
 Measurement, control and electrical applications

Norm references / Approvals

UL File Nr. E79903

Note

To refill standard packaging units are available

Product features

Optimal order in the practical SORTIMO® T-BOXX
 Small packaging unit, wide variety
 Light and robust, shock- and impact-resistant polypropylene case
 Two sturdy locks - ideal for mounting use e.g. building site

Product Management	Document: LAPP_PRO209169EN.pdf	1 / 3
--------------------	--------------------------------	-------

U.I. Lapp GmbH	PRODUCT INFORMATION	
	SKINTOP® CLICK SORTIMO® T-BOXX	07.11.2014

Included

Included in all sizes: disassembly tool
 Delivery in SORTIMO® T-BOXX
 Assembly instructions
 SKINTOP® CLICK M12 / 40 Piece
 (Part.No. 53112692)
 SKINTOP® CLICK M16 / 55 Piece
 (Part.No. 53112686)
 SKINTOP® CLICK M20 / 25 Piece
 (Part.No. 53112687)
 SKINTOP® CLICK M25 / 25 Piece
 (Part.No. 53112688)
 SKINTOP® CLICK M32 / 9 Piece
 (Part.No. 53112694)

Remark

Photographs are not to scale and do not represent detailed images of the respective products.

Technical Data

Classification:	ETIM 5.0 Class-ID: EC000441 ETIM 5.0 Class-Description: cable screw gland
Colour delivered:	Light grey (RAL 7035)
Material:	Body: special polyamide Seal: special elastomer
Protection rating:	IP 68 - 4 bar (M12) IP 68 - 5 bar (M16 - M32)
Temperature range:	Dynamic: -20°C to +100°C Fixed: -40°C to +100°C

Product Management	Document: LAPP_PRO209169EN.pdf	2 / 3
--------------------	--------------------------------	-------

U.I. Lapp
GmbH

PRODUCT INFORMATION



LAPP GROUP

SKINTOP® CLICK SORTIMO® T-BOXX

07.11.2014

Part number	Article designation / size	Pieces / PU
53112695	SKINTOP® CLICK SORTIMO® BOXX	1

Product Management

Document: LAPP_PRO209169EN.pdf

3 / 3