

# LED Spotlights

Introducing a sustainable and energy efficient replacement for power consuming 35W and 50W Halogen Spotlights. An extensive range of LED Spotlights (1.2W-8W)



## Product Features

- Uses 80% less energy than Standard Bulbs
- Excellent Heat Radiation Efficiency
- Customized exterior for stronger body
- Choice of beam angle from 38° to 300°
- Premium Quality Power Driver
- Broad Range of holders like GU10, MR16, G9 and G4
- Wide Voltage Range from AC: 180 - 240 V , 50/60 Hz & 12 v options
- Dimmable & Non Dimmable options

## Applications

Perfect choice for Hotels, Bars, Commercial & Residential Lighting and Exhibition Stands



**GU 10 with Lens**

7W VT-2666

- 1657 - 3000K Warm White
- 1658 - 4000K Day White
- 1659 - 6400K White

EAN Code

- 3800157601641
- 3800157601658
- 3800157601665

BOX QTY. **200**



EQ. Watts:	<b>50W</b>	PF:	<b>&gt;0.5</b>
Voltage/Frequency:	<b>AC:220-240V,50Hz</b>	Beam Angle:	<b>38°</b>
Luminous Flux:	<b>550lm</b>	Base:	<b>GU10</b>
LED Type:	<b>SMD</b>	Body Type:	<b>Plastic</b>
CRI:	<b>&gt;80</b>	Dimension:	<b>50mm x 57mm</b>



Dimmable



**Dimmable GU 10 with Lens**

7W VT-2886D

- 1666 - 3000K Warm White
- 1667 - 4000K Day White
- 1668 - 6400K White

EAN Code

- 3800157602075
- 3800157602082
- 3800157602099

BOX QTY. **200**



EQ. Watts:	<b>50W</b>	PF:	<b>&gt;0.5</b>
Voltage/Frequency:	<b>AC:220-240V,50Hz</b>	Beam Angle:	<b>38°</b>
Luminous Flux:	<b>550lm</b>	Base:	<b>GU10</b>
LED Type:	<b>SMD</b>	Body Type:	<b>Plastic</b>
CRI:	<b>&gt;80</b>	Dimension:	<b>50mm x 57mm</b>
Dimmable:	<b>Yes</b>		



**GU 10 with Lens**

7W VT-2778

- 1672 - 3000K Warm White
- 1673 - 4000K Day White
- 1674 - 6400K White

EAN Code

- 3800157602136
- 3800157602143
- 3800157602150

BOX QTY. **200**



EQ. Watts:	<b>45W</b>	PF:	<b>&gt;0.5</b>
Voltage/Frequency:	<b>AC: 220-240V,50Hz</b>	Beam Angle:	<b>110°</b>
Luminous Flux:	<b>500lm</b>	Base:	<b>GU10</b>
LED Type:	<b>SMD</b>	Body Type:	<b>Plastic</b>
CRI:	<b>&gt; 80</b>	Dimension:	<b>50mm x 57mm</b>



**MR 16 with Lens**

**7W** VT-1967


- 1663 - 3000K Warm White
- 1664 - 4000K Day White
- 1665 - 6400K White

EAN Code

- 3800157602044
- 3800157602051
- 3800157602068

BOX QTY. **200**

**A+**



EQ. Watts:	<b>50W</b>	PF:	<b>&gt;0.5</b>
Voltage/Frequency:	<b>AC/DC: 12V,50Hz</b>	Beam Angle:	<b>38°</b>
Luminous Flux:	<b>550lm</b>	Base:	<b>GU5.3</b>
LED Type:	<b>SMD</b>	Body Type:	<b>Plastic</b>
CRI:	<b>&gt;80</b>	Dimension:	<b>50mm x 50mm</b>



**GU 10 with Lens**

**8W** VT-2889

- 1693 - 3000K Warm White
- 1694 - 4000K Day White
- 1695 - 6400K White

EAN Code


- 3800157608947
- 3800157608954
- 3800157608961

BOX QTY. **200**

**A+**



EQ. Watts:	<b>80W</b>	PF:	<b>&gt; 0.5</b>
Voltage/Frequency:	<b>AC: 220-240V,50Hz</b>	Beam Angle:	<b>38°</b>
Luminous Flux:	<b>750lm</b>	Base:	<b>GU10</b>
LED Type:	<b>SMD</b>	Body Type:	<b>Plastic</b>
CRI:	<b>&gt; 80</b>	Dimension:	<b>50mm x 55mm</b>





**Milky Cover GU10**

7W VT-2779

- 1682 - 3000K Warm White
- 1683 - 4000K Day White
- 1684 - 6400K White

EAN Code

- 3800157605359
- 3800157605366
- 3800157605373

BOX QTY. **200**

**A+**



EQ. Watts:	<b>45W</b>	PF:	<b>&gt;0.5</b>
Voltage/Frequency:	<b>AC:220-240V,50Hz</b>	Beam Angle:	<b>110°</b>
Luminous Flux:	<b>500lm</b>	Base:	<b>GU10</b>
LED Type:	<b>SMD</b>	Body Type:	<b>Plastic</b>
CRI:	<b>&gt;80</b>	Dimension:	<b>50mm x 57mm</b>



**Dimmable Milky Cover GU10**

7W VT-2887D

- 1669 - 3000K Warm White
- 1670 - 4000K Day White
- 1671 - 6400K White

EAN Code

- 3800157602105
- 3800157602112
- 3800157602129

BOX QTY. **200**

**A+**



EQ. Watts:	<b>45W</b>	PF:	<b>&gt;0.5</b>
Voltage/Frequency:	<b>AC:220-240V,50Hz</b>	Beam Angle:	<b>110°</b>
Luminous Flux:	<b>500lm</b>	Base:	<b>GU10</b>
LED Type:	<b>SMD</b>	Body Type:	<b>Plastic</b>
CRI:	<b>&gt;80</b>	Dimension:	<b>50mm x 57mm</b>
Dimmable:	<b>Yes</b>		

**Dimmable**



**Milky Cover MR16**

7W VT-1977


- 1688 - 3000K Warm White
- 1689 - 4000K Day White
- 1690 - 6400K White

EAN Code

- 3800157606950
- 3800157606967
- 3800157606974

BOX QTY. **200**

**A+**



EQ. Watts:	<b>45W</b>	PF:	<b>&gt;0.5</b>
Voltage/Frequency:	<b>AC/DC: 12V,50Hz</b>	Beam Angle:	<b>110°</b>
Luminous Flux:	<b>500lm</b>	Base:	<b>GU5.3</b>
LED Type:	<b>SMD</b>	Body Type:	<b>Plastic</b>
CRI:	<b>&gt;80</b>	Dimension:	<b>50mm x 50mm</b>

NEW



**Dimmable Spotlight- GU10**

6.5W VT-2108D

EAN Code


- 7306 - 3000K Warm White
- 7307 - 4000K Day White
- 7308 - 6400K White

- 3800157623964
- 3800157623971
- 3800157623988

BOX QTY.  
50



Dimmable



EQ. Watts:	40W	Dimmable:	Yes
Voltage/Frequency:	AC:220-240V,50Hz	PF:	> 0.5
Luminous Flux:	450lm	Beam Angle:	38°
LED Type:	SMD	Base:	GU10
CRI:	> 80	Body Type:	Plastic
		Dimension:	50mm x 57mm

NEW



**LED Spotlight- GU10**

6W VT-2107

EAN Code

- 7303 - 3000K Warm White
- 7304 - 4000K Day White
- 7305 - 6400K White

- 3800157623933
- 3800157623940
- 3800157623957

BOX QTY.  
50



EQ. Watts:	40W	PF:	> 0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	110°
Luminous Flux:	500lm	Base:	GU10
LED Type:	SMD	Body Type:	Plastic
CRI:	> 80	Dimension:	50mm x 57mm

NEW



**Milky Cover GU10**

6W VT-2096

- 7310 - 3000K Warm White
- 7311 - 4000K Day White
- 7312 - 6400K White

EAN Code

- 3800157624435
- 3800157624459
- 3800157624442

BOX QTY. **200**

**A+**



EQ. Watts:	<b>45W</b>	PF:	<b>&gt;0.5</b>
Voltage/Frequency:	<b>AC: 220-240V, 50Hz</b>	Beam Angle:	<b>110°</b>
Luminous Flux:	<b>500LM</b>	Base:	<b>GU10</b>
LED Type:	<b>SMD</b>	Body Type:	<b>Plastic</b>
CRI:	<b>&gt;80</b>	Dimension:	<b>50mm x 57mm</b>

NEW



**Milky Cover GU10**

5W VT-2095

EAN Code

- 7269 - 3000K Warm White
- 7270 - 4000K Day White
- 7271 - 6400K White


3800157623018

3800157623025

3800157623032

BOX QTY. **60**

**A**



EQ. Watts:	<b>35W</b>	PF:	<b>&gt;0.4</b>
Voltage/Frequency:	<b>AC:220-240V,50Hz</b>	Beam Angle:	<b>110°</b>
Luminous Flux:	<b>400lm</b>	Base:	<b>GU10</b>
LED Type:	<b>SMD</b>	Body Type:	<b>Plastic</b>
CRI:	<b>&gt;80</b>	Dimension:	<b>50mm x 57mm</b>



**Milky Cover GU10**

**5W** VT-1975

- 1685 - 3000K Warm White
- 1686 - 4000K Day White
- 1687 - 6400K White


EAN Code

- 3800157606240
- 3800157606257
- 3800157606264

BOX QTY.

**200**

**A+**



EQ. Watts:	<b>40W</b>	PF:	<b>&gt;0.4</b>
Voltage/Frequency:	<b>AC:220-240V,50Hz</b>	Beam Angle:	<b>110°</b>
Luminous Flux:	<b>320lm</b>	Base:	<b>GU10</b>
LED Type:	<b>SMD</b>	Body Type:	<b>Plastic</b>
CRI:	<b>&gt;80</b>	Dimension:	<b>50mm x 57mm</b>



**Milky Cover GU10**

**3W** VT-1933

- 7126 - 3000K Warm White
- 7127 - 4000K Day White
- 7128 - 6400K White

EAN Code

- 3800157610148
- 3800157610155
- 3800157610162

BOX QTY.

**200**

**A+**



EQ. Watts:	<b>25W</b>	PF:	<b>&gt;0.4</b>
Voltage/Frequency:	<b>AC:220-240V,50Hz</b>	Beam Angle:	<b>110°</b>
Luminous Flux:	<b>210lm</b>	Base:	<b>GU10</b>
LED Type:	<b>SMD</b>	Body Type:	<b>Plastic</b>
CRI:	<b>&gt;80</b>	Dimension:	<b>50mm x 57mm</b>



**GU10 Spotlight**

2W VT-2002

- 7167 - 3000K Warm White
- 7168 - 4000K Day White
- 7169 - 6400K White

EAN Code

- 3800157612807
- 3800157612814
- 3800157612821

BOX QTY. **200**  




EQ. Watts:	<b>15W</b>	PF:	<b>&gt;0.4</b>
Voltage/Frequency:	<b>AC:220-240V,50Hz</b>	Beam Angle:	<b>38°</b>
Luminous Flux:	<b>180lm</b>	Base:	<b>GU10</b>
LED Type:	<b>SMD</b>	Body Type:	<b>Plastic</b>
CRI:	<b>&gt;80</b>	Dimension:	<b>35mm x 46.5mm</b>



**MR 11 Spot light**


2W VT-1992

- 1679 - 3000K Warm White
- 1680 - 4000K Day White
- 1681 - 6400K White

EAN Code

- 3800157605038
- 3800157605045
- 3800157605052

BOX QTY. **200**  

EQ. Watts:	<b>15W</b>	PF:	<b>&gt;0.4</b>
Voltage/Frequency:	<b>AC/DC:12V,50/60Hz</b>	Beam Angle:	<b>38°</b>
Luminous Flux:	<b>140lm</b>	Base:	<b>GU4</b>
LED Type:	<b>SMD</b>	Body Type:	<b>Plastic</b>
CRI:	<b>&gt;80</b>	Dimension:	<b>35mm x 39mm</b>



NEW



LED Spotlight-Square


BOX QTY. **50**

5W VT-1100

EAN Code

- 7332 - 3000K Warm White
- 7333 - 4000K Day White
- 7334 - 6400K White

- 3800157624855
- 3800157624862
- 3800157624879



A+

EQ. Watts:	<b>35W</b>	PF:	<b>&gt;0.9</b>
Voltage/Frequency:	<b>AC:100-240V,50/60Hz</b>	Beam Angle:	<b>68°</b>
Luminous Flux:	<b>350lm</b>	Body Type:	<b>PC+ABS</b>
LED Type:	<b>SMD</b>	Dimension:	<b>90 x 90 x 45mm</b>
CRI:	<b>&gt;80</b>	Cutting Size:	<b>Ø75mm</b>

NEW



LED Spotlight-Round


BOX QTY. **50**

5W VT-1100

EAN Code

- 7329 - 3000K Warm White
- 7330 - 4000K Day White
- 7331 - 6400K White

- 3800157624824
- 3800157624831
- 3800157624848




A+

EQ. Watts:	<b>35W</b>	PF:	<b>&gt;0.9</b>
Voltage/Frequency:	<b>AC:100-240V,50/60Hz</b>	Beam Angle:	<b>68°</b>
Luminous Flux:	<b>350lm</b>	Body Type:	<b>PC+ABS</b>
LED Type:	<b>SMD</b>	Dimension:	<b>Ø90mm x 45mm</b>
CRI:	<b>&gt;80</b>	Cutting Size:	<b>Ø75mm</b>



BOX QTY.  
100



**Recessed GX53**

**A+**

**7W** VT-1969

EAN Code

- 4437 - 3000K Warm White 3800157607032
- 4438 - 4000K Day White 3800157607049
- 4439 - 6400K White 3800157607056

EQ. Watts:	<b>45W</b>	PF:	<b>&gt; 0.5</b>
Voltage/Frequency:	<b>AC:220-240V,50Hz</b>	Beam Angle:	<b>110°</b>
Luminous Flux:	<b>550lm</b>	Base:	<b>Recessed GX53</b>
Commercial Type:	<b>GX53</b>	Body Type:	<b>Thermoplastic</b>
LED Type:	<b>SMD</b>	Dimension:	<b>75mmx 29mm</b>
CRI:	<b>&gt; 80</b>		




**G4 Spot light 1pc Pack**

**1.5W** VT-1942

EAN Code

- 4463 - 3000K Warm White 3800157608978
- 4464 - 4000K Day White 3800157608985
- 4465 - 6400K White 3800157608992

BOX QTY.  
400



**A+**

EQ. Watts:	<b>15W</b>	PF:	<b>&gt;0.4</b>
Voltage/Frequency:	<b>AC/DC:12V</b>	Beam Angle:	<b>300°</b>
Luminous Flux:	<b>100lm</b>	Base:	<b>G4</b>
LED Type:	<b>SMD</b>	Body Type:	<b>Plastic</b>
CRI:	<b>&gt; 80</b>	Dimension:	<b>12mm x 38.5mm</b>

NEW




**G9 Spotlight**

**2W** VT-2102

**7337 - 3000K Warm White** 3800157625210  
**7338 - 4000K Day White** 3800157625227  
**7339 - 6000K White** 3800157625234

BOX QTY.  
**400**

EAN Code



**A++**

EQ. Watts:	<b>20W</b>	PF:	<b>&gt;0.4</b>
Voltage/Frequency:	<b>AC: 200-240V,50/60Hz</b>	Beam Angle:	<b>230°</b>
Luminous Flux:	<b>230lm</b>	Base:	<b>G9</b>
LED Type:	<b>COB</b>	Body Type:	<b>GLASS</b>
CRI:	<b>&gt;80</b>	Dimension:	<b>14.5mm x 43.5mm</b>

NEW




**G9 Spotlight -Blister Pack**

**2W** VT-2102

**7340 - 3000K Warm White** 3800157625630


BOX QTY.  
**200**

EAN Code



**A++**

EQ. Watts:	<b>20W</b>	PF:	<b>&gt;0.4</b>
Voltage/Frequency:	<b>AC: 200-240V,50/60Hz</b>	Beam Angle:	<b>230°</b>
Luminous Flux:	<b>230lm</b>	Base:	<b>G9</b>
LED Type:	<b>COB</b>	Body Type:	<b>GLASS</b>
CRI:	<b>&gt;80</b>	Dimension:	<b>14.5mm x 43.5mm</b>



**G9 Spot light**

**2.5W** VT-1946

BOX QTY.  
400

1pc Pack

EAN Code

- 7205 - 3000K Warm White 3800157616317
- 7206 - 4000K Day White 3800157616324
- 7207 - 6400K White 3800157616331

BOX QTY.  
100

3pc Blister Pack

EAN Code

- 4358 - 3000K Warm White 3800157602716
- 4359 - 4000K Day White 3800157602723
- 4360 - 6400K White 3800157602730

EQ. Watts:	<b>25W</b>	PF:	<b>&gt;0.4</b>
Voltage/Frequency:	<b>AC: 220-240V,50Hz</b>	Beam Angle:	<b>300°</b>
Luminous Flux:	<b>200lm</b>	Base:	<b>G9</b>
LED Type:	<b>SMD</b>	Body Type:	<b>Plastic</b>
CRI:	<b>&gt;80</b>	Dimension:	<b>16.5mm x 48.7mm</b>



**G9 Spot light**


**3W** VT-2003

EAN Code

BOX QTY.  
500

- 7243 - 2700K Warm White 3800157620161
- 7244 - 4000K Day White 3800157620178
- 7245 - 6400K White 3800157620185

A+



EQ. Watts:	<b>30W</b>	PF:	<b>&gt;0.4</b>
Voltage/Frequency:	<b>AC:220-240V,50Hz</b>	Beam Angle:	<b>300°</b>
Luminous Flux:	<b>300lm</b>	Base:	<b>G9</b>
LED Type:	<b>SMD</b>	Body Type:	<b>Plastic</b>
CRI:	<b>&gt;80</b>	Dimension:	<b>17mm x 49mm</b>



**Dimmable Milky Cover-G9**


**3W** VT-2083D

EAN Code

BOX QTY.  
500

- 7253 - 2700K Warm White 3800157621656
- 7254 - 4000K Day White 3800157621663
- 7255 - 6400K White 3800157621670

A+



EQ. Watts:	<b>30W</b>	PF:	<b>&gt;0.4</b>
Voltage/Frequency:	<b>AC:220-240V,50Hz</b>	Beam Angle:	<b>360°</b>
Luminous Flux:	<b>225lm</b>	Base:	<b>G9</b>
LED Type:	<b>SMD</b>	Body Type:	<b>Plastic</b>
CRI:	<b>&gt;80</b>	Dimension:	<b>18.5mm x 55.5mm</b>
Dimmable:	<b>Yes</b>		