




UNCONTROLLED COPY
 in case of drawing updating/revision
 NO AUTOMATIC
 resubmission will follow



Ø HOLE (mm)	PLATE THICKNESS (mm)	INSERTION LOAD (N)	EXTRACTION LOAD (N)
5	1.2	95±15%	150±15%
	2	155±15%	

NOTE:
 THE USE FOR PLATE WITH THICKNESS
 HIGHER THAN 2mm IS NOT RECOMMENDED

OPERATING FEATURES		
FEATURE	UNIT	VALUE
T.min - T.max	°C	-40 / +120
Flamability	FMVSS302 UL 94	slow combust. veloc. HB

FIXING SYSTEM ON PLATE Thickness min 1.2 - max 2.5

Scale 2:1

MTA		MTA P/N	0300392	Denom. FIXING PLATE PRESSURE	
		Draw No.	B0-149.L02A	Used for FUSEHOLDERS	
Rel. Level		APPROVED	Draw for	CLIENT	Relevant Standard FUSE HOLDERS
Date	Name	Scale	Weight(g)	Lin.Tol.±	Ang.Tol.±
Draft. 17/01/1991	L.BASSI	2:1	23	0.5	2
Chk 19/10/2011	E.UGGERI			Material PA 66	
PQApp 19/10/2011	M.ROSSI			Coating	
App. 18/10/2011	M.CORBANI	A3	Dimensions in (mm)		Sheet 1/1
				Color BLACK	
4 INSERTION AND EXTRACTION TABLE ADDED					
No.	Reason for Revision			Date	18/10/2011
				Name	E.UGGERI

All proprietary rights reserved by MTA S.p.A. - This drawing shall not be reproduced, or in any way utilized, for the manufacture of the component or unit herein illustrated and must not be released to other parties, without written consent. Any infringement will be legally pursued.