

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold

Germany

Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

Product image







Spring connection with PUSH IN Technology

The innovative PUSH IN technology reduces the amount of time you spend on wiring to a minimum. Direct insertion guarantees high conductor pull-out forces and simple handling for all conductor types.

| Туре | A2C 10 PE |
|------------|--|
| Order No. | <u>2490440000</u> |
| Version | PE terminal, PUSH IN, 10 mm ² , 1000 V, white |
| GTIN (EAN) | 4050118500844 |
| Qty. | 25 pc(s). |
| | |



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold

Germany

Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

Technical data

Dimensions and weights

| Width | 10 mm | Width (inches) | 0.394 inch |
|--------------------------|---------|-----------------|------------|
| Height | 80.5 mm | Height (inches) | 3.169 inch |
| Depth | 51.5 mm | Depth (inches) | 2.028 inch |
| Depth including DIN rail | 52.5 mm | Net weight | 38.568 g |

Temperatures

| Storage temperature, max. | 40 °C | Storage temperature, min. | 10 °C | |
|----------------------------------|------------|----------------------------------|--------|--|
| Storage temperature | 10 °C40 °C | Continuous operating temp., min. | -60 °C | |
| Continuous operating temp., max. | 130 °C | | | |

Material data

| Material | Wemid | Colour | white | |
|--------------------------------|--------|---------------------------|-------|--|
| Colour of operational elements | orange | UL 94 flammability rating | V-0 | |

Rating data IECEx/ATEX

| Certificate No. (ATEX) | TUEV16ATEX7909U | Certificate No. (IECEX) | IECEXTUR16.0036U |
|--------------------------------|--------------------|---------------------------------|------------------|
| Wire cross section max. (ATEX) | 10 mm ² | Wire cross section max. (IECEX) | 10 mm² |
| Marking EN 60079-7 | Ex eb II C Gb | Ex 2014/34/EU label | II 2 G D |

System specifications

| End cover plate required | Yes | Number of potentials | 1 |
|-------------------------------|-------|-------------------------------------|-----|
| Number of levels | 1 | Number of clamping points per level | 2 |
| Number of potentials per tier | 1 | PE connection | Yes |
| Rail | TS 35 | | |

Additional technical data

| Installation advice | Rail | Open sides | right |
|---------------------|-------|-------------------|---------|
| Snap-on | No | Type of fixing | Snap-on |
| Type of mounting | TS 35 | With snap-in pegs | No |

CSA rating data

| Certificate No. (CSA) | 200039-70089609 | Voltage size B (CSA) | 600 V |
|-------------------------------|-----------------|-------------------------------|--------|
| Voltage size C (CSA) | 600 V | Voltage size D (CSA) | 600 V |
| Wire cross section max. (CSA) | 6 AWG | Wire cross section min. (CSA) | 20 AWG |



C TO PE

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold

Germany

Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

Technical data

Conductors for clamping (rated connection)

| Diada sisa | 1055 | | 10 |
|---|---------------------|---|---------------------|
| Blade size | 1.0 x 5.5 mm | Clamping range, max. | 10 mm ² |
| Clamping range, min. | | Connection cross-section, stranded, | |
| | 0.5 mm² | max. | 10 mm² |
| Connection cross-section, stranded | d, min. 0.5 mm² | Connection direction | top |
| Gauge to IEC 60947-1 | A6 | Number of connections | 2 |
| Stripping length | 18 mm | Twin wire-end ferrules, max. | 4 mm ² |
| Twin wire-end ferrules, min. | 0.5 mm ² | Type of connection | PUSH IN |
| Wire connection cross section AW | /G, | Wire connection cross section AWG, | |
| max. | AWG 6 | min. | AWG 18 |
| Wire connection cross section, finely stranded, max. | | Wire connection cross-section, finely stranded with wire-end ferrules DIN | |
| , | 10 mm ² | 46228/1, max. | 10 mm² |
| Wire connection cross-section, fine stranded with wire-end ferrules DII | , | Wire connection cross-section, finely stranded with wire-end ferrules DIN | |
| 46228/1, min. | 0.5 mm ² | 46228/4, max. | 10 mm² |
| Wire connection cross-section, fine stranded with wire-end ferrules DII | , | Wire connection cross-section, finely stranded, min. | |
| 46228/4, min. | 0.5 mm ² | | 0.5 mm ² |
| Wire connection cross-section, sol | id | Wire connection cross-section, solid | |
| core, max. | 10 mm ² | core, min. | 0.5 mm ² |

Rating data

| Rated cross-section | 10 mm ² | Rated voltage | 1,000 V |
|-------------------------------------|-----------------------|-----------------------------------|---------------|
| Rated voltage to adjoining terminal | 1,000 V | Standards | IEC 60947-7-2 |
| Volume resistance according to IEC | | Power loss in accordance with IEC | |
| 60947-7-x | $0.56~\text{m}\Omega$ | 60947-7-x | 1.82 W |
| Rated impulse withstand voltage | 8 kV | Pollution severity | 3 |
| Surge voltage category | III | | |

UL rating data

| Certificate No. (cURus) | | Conductor size Factory wiring max. | |
|------------------------------------|------------------|--|-------|
| | E60693 | (cURus) | 6 AWG |
| Conductor size Factory wiring min. | | Conductor size Field wiring max. (cURus) | |
| (cURus) | 20 AWG | | 6 AWG |
| Conductor size Field wiring min | . (cURus) 20 AWG | Voltage size B (cURus) | 600 V |
| Voltage size C (cURus) | 600 V | Voltage size D (cURus) | 600 V |

Classifications

| ETIM 6.0 | EC000901 | ETIM 7.0 | EC000901 |
|-------------|-------------|------------|-------------|
| eClass 9.0 | 27-14-11-41 | eClass 9.1 | 27-14-11-41 |
| eClass 10.0 | 27-14-11-41 | | |

Approvals

Approvals

ROHS



Creation date January 7, 2020 1:49:50 PM CET



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold

Germany

Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

Technical data

Downloads

| Approval/Certificate/Document of | |
|----------------------------------|--|
| Conformity | DE_PT0132_20171107_003_ISSUE01 |
| Engineering Data | <u>EPLAN</u> |
| Engineering Data | <u>STEP</u> |
| Tender specification | Klippon® Connect 2490440000 EN Klippon® Connect 2490440000 DE |
| User Documentation | StorageConditionsTerminalBlocks Aderendhülsen für die Klippon® Connect A-Reihe Wire end ferrules for Klippon® Connect A-series |



Accessories

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold

Germany Fon: +49 5231 14-0

Fax: +49 5231 14-292083

Plus



The Dekafix (DEK) marker is the universal marker for all conductor and plug-in connectors as well as for electronic sub-assemblies. The system is ideal for short number sequences and covers a wide range of ready-printed markers.

Strips for fast installation in only one work step. The printing is easy to read, rich in contrast and available in various widths.

- Large range of ready-to-use markers
- Strips for fast installation
- Terminal markers, suitable for all Weidmüller cable connectors
- · Available as blank MultiCard or with standard printing

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

General ordering data

| Type | DEK 5/5 PLUS MC NE WS | Version |
|-------------------|-------------------------------------|--|
| Order No. | 1854490000 | Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00 |
| GTIN (EAN) | 4032248393596 | Weidmueller, white |
| Qty. | 1,000 pc(s). | |
| | | |
| Туре | DEK 5/5 PLUS MC NE GE | Version |
| Type Order No. | DEK 5/5 PLUS MC NE GE 1907520000 | Version Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00 |
| | , | |

Blank



WS markers are the perfect match for the W-series connectors. Thanks to their system compatibility, the WS tags can also be used with the I-series and the Z-series. The large marking surfaces do not only permit long character strings but also multi-line text. WS markers are ideal for labels with long, customised character strings. Thanks to the proven MultiCard format, printing with laser printer, PrintJet ADVANCED, plotter or MC-Mobilo is possible.

- Can be fitted in strips or individually
- Markers in proven MultiCard format

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

General ordering data

 Type
 WS 10/5 MC NE GE
 Version

 Order No.
 1773531687
 WS, Terminal marker, 10 x 5 mm, Pitch in mm (P): 5.00 Weidmueller,

 GTIN (EAN)
 4032248141753
 Allen-Bradley, yellow

 Qty.
 720 pc(s).

Creation date January 7, 2020 1:49:50 PM CET



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold

Germany

Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

Accessories

| Туре | WS 10/5 PLUS MC NE WS | Version |
|---|---|---|
| Order No. | 1046380000 | WS, Terminal marker, 10 x 5 mm, Pitch in mm (P): 5.00 Weidmueller, |
| GTIN (EAN) | 4032248782086 | Allen-Bradley, white |
| Qty. | 600 pc(s). | |
| Туре | WS 10/5 M MC NE WS | Version |
| Order No. | <u>1792000000</u> | WS, Terminal marker, 10 x 5 mm, Pitch in mm (P): 5.00 Weidmueller, |
| GTIN (EAN) | 4032248223862 | Allen-Bradley, white |
| Qty. | 720 pc(s). | |
| Туре | WS 10/5 MC NE BL | Version |
| Order No. | <u>1773531693</u> | WS, Terminal marker, 10 x 5 mm, Pitch in mm (P): 5.00 Weidmueller, |
| GTIN (EAN) | 4032248141814 | Allen-Bradley, blue |
| Qty. | 720 pc(s). | |
| | | |
| Туре | WS 10/5 MC NE RT | Version |
| Type Order No. | WS 10/5 MC NE RT 1773531686 | Version WS, Terminal marker, 10 x 5 mm, Pitch in mm (P): 5.00 Weidmueller, |
| | | |
| Order No. | <u>1773531686</u> | WS, Terminal marker, 10 x 5 mm, Pitch in mm (P): 5.00 Weidmueller, |
| Order No. GTIN (EAN) | 1773531686 4032248141746 | WS, Terminal marker, 10 x 5 mm, Pitch in mm (P): 5.00 Weidmueller, |
| Order No. GTIN (EAN) Qty. | 1773531686 4032248141746 720 pc(s). | WS, Terminal marker, 10 x 5 mm, Pitch in mm (P): 5.00 Weidmueller, Allen-Bradley, red |
| Order No. GTIN (EAN) Oty. Type | 1773531686 4032248141746 720 pc(s). WS 10/5 M PLUS MC NE WS | WS, Terminal marker, 10 x 5 mm, Pitch in mm (P): 5.00 Weidmueller, Allen-Bradley, red Version |
| Order No. GTIN (EAN) Oty. Type Order No. | 1773531686 4032248141746 720 pc(s). WS 10/5 M PLUS MC NE WS 2003770000 | WS, Terminal marker, 10 x 5 mm, Pitch in mm (P): 5.00 Weidmueller, Allen-Bradley, red Version WS, Terminal marker, 10 x 5 mm, Pitch in mm (P): 5.00 Weidmueller, |
| Order No. GTIN (EAN) Oty. Type Order No. GTIN (EAN) | 1773531686 4032248141746 720 pc(s). WS 10/5 M PLUS MC NE WS 2003770000 4050118424447 | WS, Terminal marker, 10 x 5 mm, Pitch in mm (P): 5.00 Weidmueller, Allen-Bradley, red Version WS, Terminal marker, 10 x 5 mm, Pitch in mm (P): 5.00 Weidmueller, |
| Order No. GTIN (EAN) Qty. Type Order No. GTIN (EAN) Qty. | 1773531686 4032248141746 720 pc(s). WS 10/5 M PLUS MC NE WS 2003770000 4050118424447 600 pc(s). | WS, Terminal marker, 10 x 5 mm, Pitch in mm (P): 5.00 Weidmueller, Allen-Bradley, red Version WS, Terminal marker, 10 x 5 mm, Pitch in mm (P): 5.00 Weidmueller, Allen-Bradley, white |
| Order No. GTIN (EAN) Qty. Type Order No. GTIN (EAN) Qty. Type | 1773531686 4032248141746 720 pc(s). WS 10/5 M PLUS MC NE WS 2003770000 4050118424447 600 pc(s). WS 10/5 MC NE WS | WS, Terminal marker, 10 x 5 mm, Pitch in mm (P): 5.00 Weidmueller, Allen-Bradley, red Version WS, Terminal marker, 10 x 5 mm, Pitch in mm (P): 5.00 Weidmueller, Allen-Bradley, white |



Accessories

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold

Germany

Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

DEK 5/6



WS/ DEK

MultiMark DEK/WS connector markers use an innovative composite material made from two components. The hard base contour of the marker snaps securely into the connector. The elastic surface finish makes the marker easy to mount. This specially punched material enables the strips to be stretched to accommodate the slight variations in spacing that tend to add up, especially with long terminal blocks. Another advantage: the excellent printability of the surface material guarantees durable and wear-resistant labelling. A print resolution of 300 dpi also produces a very legible script.

Your benefits with MultiMark

- · Firm hold and durable printing
- · Continuous strips save installation time
- Easy mounting thanks to an innovative composite material
- Large label field for optimal legibility
- · High flexibility thanks to manufacturer independence

General ordering data

 Type
 DEK 5/6 MM WS
 Version

 Order No.
 2007120000
 Dekafix, Terminal marker, 5 x 6 mm, Weidmueller, white

 GTIN (EAN)
 4050118392104

 Qty.
 600 pc(s).

End brackets



Spring connection with PUSH IN Technology

The innovative PUSH IN technology reduces the amount of time you spend on wiring to a minimum. Direct insertion guarantees high conductor pull-out forces and simple handling for all conductor types.

General ordering data

Туре AEB 35 SCL/1 VO BK Version Order No. 2661300000 A-series, End bracket GTIN (EAN) 4050118702187 Qty. 20 pc(s). AEB 35 SCL/1 VO GY Type Version 2661290000 Order No. A-series, End bracket 4050118702170 GTIN (EAN) Qty. 20 pc(s).



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold

Germany

Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

Accessories

| Туре | AEB 35 SC/1 | Version |
|------------|-----------------|-----------------------|
| Order No. | 1991920000 | A-series, End bracket |
| GTIN (EAN) | 4050118376722 | |
| Qty. | 50 pc(s). | |
| Туре | AEB 35 SC/1 BK | Version |
| Order No. | 2475310000 | A-series, End bracket |
| GTIN (EAN) | 4050118487114 | |
| Qty. | 50 pc(s). | |
| Туре | AEB 35 SCL/1 V0 | Version |
| Order No. | 2661280000 | A-series, End bracket |
| GTIN (EAN) | 4050118702163 | |
| Qty. | 20 pc(s). | |

Blank



The Dekafix (DEK) marker is the universal marker for all conductor and plug-in connectors as well as for electronic sub-assemblies. The system is ideal for short number sequences and covers a wide range of ready-printed markers.

Strips for fast installation in only one work step. The printing is easy to read, rich in contrast and available in various widths.

- Large range of ready-to-use markers
- Strips for fast installation
- Terminal markers, suitable for all Weidmüller cable connectors
- · Available as blank MultiCard or with standard printing

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

| Туре | DEK 5/8 MC NE WS | Version |
|------------|-------------------|---|
| Order No. | <u>1856740000</u> | Dekafix, Terminal marker, 5 x 8 mm, Pitch in mm (P): 8.00 |
| GTIN (EAN) | 4032248400850 | Weidmueller, white |
| Qty. | 800 pc(s). | |



Accessories


Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold

Germany

Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

V0



The Dekafix (DEK) marker is the universal marker for all conductor and plug-in connectors as well as for electronic sub-assemblies. The system is ideal for short number sequences and covers a wide range of ready-printed markers.

Strips for fast installation in only one work step. The printing is easy to read, rich in contrast and available in various widths.

- Large range of ready-to-use markers
- Strips for fast installation
- Terminal markers, suitable for all Weidmüller cable connectors
- · Available as blank MultiCard or with standard printing

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

General ordering data

Type DEK 5/5 MC NE V0 WS Version

Order No. <u>1388530000</u> Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00

4050118188622 Weidmueller, white

Qty. 1,000 pc(s).

Blank

GTIN (EAN)



The Dekafix (DEK) marker is the universal marker for all conductor and plug-in connectors as well as for electronic sub-assemblies. The system is ideal for short number sequences and covers a wide range of ready-printed markers.

Strips for fast installation in only one work step. The printing is easy to read, rich in contrast and available in various widths.

- · Large range of ready-to-use markers
- · Strips for fast installation
- Terminal markers, suitable for all Weidmüller cable connectors
- Available as blank MultiCard or with standard printing

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

General ordering data

1,000 pc(s).

Type DEK 5/6 MC NE GE Version

Order No. 1238280000 Dekafix, Terminal marker, 5 x 6 mm, Pitch in mm (P): 6.00

GTIN (EAN) 4050118038750 Weidmueller, yellow



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold

Germany

Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

Accessories

| DEK 5/6 MC NE OR | Version |
|------------------|---|
| 1912090000 | Dekafix, Terminal marker, 5 x 6 mm, Pitch in mm (P): 6.00 |
| 4032248540525 | Weidmueller, orange |
| 1,000 pc(s). | |
| DEK 5/6 MC NE GR | Version |
| 1238330000 | Dekafix, Terminal marker, 5 x 6 mm, Pitch in mm (P): 6.00 |
| 4050118323306 | Weidmueller, grey |
| 1,000 pc(s). | |
| DEK 5/6 MC NE WS | Version |
| 1609820000 | Dekafix, Terminal marker, 5 x 6 mm, Pitch in mm (P): 6.00 |
| 4008190203436 | Weidmueller, white |
| 1,000 pc(s). | |
| DEK 5/6 MC NE GN | Version |
| 1238310000 | Dekafix, Terminal marker, 5 x 6 mm, Pitch in mm (P): 6.00 |
| 4050118271812 | Weidmueller, green |
| 1,000 pc(s). | |
| DEK 5/6 MC NE BR | Version |
| 1454900000 | Dekafix, Terminal marker, 5 x 6 mm, Pitch in mm (P): 6.00 |
| 4050118323313 | Weidmueller, brown |
| 1,000 pc(s). | |
| DEK 5/6 MC NE BL | Version |
| 1238290000 | Dekafix, Terminal marker, 5 x 6 mm, Pitch in mm (P): 6.00 |
| 4050118267327 | Weidmueller, blue |
| 1,000 pc(s). | |
| | 4032248540525 1,000 pc(s). DEK 5/6 MC NE GR 1238330000 4050118323306 1,000 pc(s). DEK 5/6 MC NE WS 1609820000 4008190203436 1,000 pc(s). DEK 5/6 MC NE GN 1238310000 4050118271812 1,000 pc(s). DEK 5/6 MC NE BR 1454900000 4050118323313 1,000 pc(s). DEK 5/6 MC NE BL 1238290000 4050118267327 |

Plus



The Dekafix (DEK) marker is the universal marker for all conductor and plug-in connectors as well as for electronic sub-assemblies. The system is ideal for short number sequences and covers a wide range of ready-printed markers.

Strips for fast installation in only one work step. The printing is easy to read, rich in contrast and available in various widths.

- Large range of ready-to-use markers
- Strips for fast installation
- Terminal markers, suitable for all Weidmüller cable connectors
- Available as blank MultiCard or with standard printing

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

| Туре | DEK 5/6 PLUS MC NE WS | Version |
|------------|-----------------------|---|
| Order No. | 1011320000 | Dekafix, Terminal marker, 5 x 6 mm, Pitch in mm (P): 6.00 |
| GTIN (EAN) | 4032248717644 | Weidmueller, white |
| Qty. | 1,000 pc(s). | |



Accessories

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold

Germany

Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

Custom printing



WS markers are the perfect match for the W-series connectors. Thanks to their system compatibility, the WS tags can also be used with the I-series and the Z-series. The large marking surfaces do not only permit long character strings but also multi-line text. WS markers are ideal for labels with long, customised character strings. Thanks to the proven MultiCard format, printing with laser printer, PrintJet ADVANCED, plotter or MC-Mobilo is possible.

- · Can be fitted in strips or individually
- Markers in proven MultiCard format

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

General ordering data

Type WS 10/8 PLUS MC SDR
Order No. 1906030000
GTIN (EAN) 4032248528196
Oty. 84 pc(s).

Version

WS, Terminal marker, 10 x 8 mm, Pitch in mm (P): 8.00 Weidmueller,

To customer specification

DEK 5/8



WS/ DEK

MultiMark DEK/WS connector markers use an innovative composite material made from two components. The hard base contour of the marker snaps securely into the connector. The elastic surface finish makes the marker easy to mount. This specially punched material enables the strips to be stretched to accommodate the slight variations in spacing that tend to add up, especially with long terminal blocks. Another advantage: the excellent printability of the surface material guarantees durable and wear-resistant labelling. A print resolution of 300 dpi also produces a very legible script.

Your benefits with MultiMark

- Firm hold and durable printing
- · Continuous strips save installation time
- Easy mounting thanks to an innovative composite material
- · Large label field for optimal legibility
- · High flexibility thanks to manufacturer independence

General ordering data

Type DEK-A 5/8 MM WS
Order No. 2448860000
GTIN (EAN) 4050118462968
Qty. 500 pc(s).

Version

Dekafix, Terminal marker, 5 x 8.1 mm, Weidmueller, white



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold

Germany

Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

Accessories

Type DEK 5/8 MM WS
Order No. 2007130000
GTIN (EAN) 4050118392012
Qty. 500 pc(s).

Version

Dekafix, Terminal marker, 5 x 8 mm, Weidmueller, white

WS 8/3.5



WS/ DEK

MultiMark DEK/WS connector markers use an innovative composite material made from two components. The hard base contour of the marker snaps securely into the connector. The elastic surface finish makes the marker easy to mount. This specially punched material enables the strips to be stretched to accommodate the slight variations in spacing that tend to add up, especially with long terminal blocks. Another advantage: the excellent printability of the surface material guarantees durable and wear-resistant labelling. A print resolution of 300 dpi also produces a very legible script.

Your benefits with MultiMark

- · Firm hold and durable printing
- · Continuous strips save installation time
- Easy mounting thanks to an innovative composite material
- · Large label field for optimal legibility
- High flexibility thanks to manufacturer independence

General ordering data

Type WS 8/3.5 MM WS
Order No. 2007140000
GTIN (EAN) 4050118391893
Qty. 1,000 pc(s).

Version

WS, Terminal marker, 8 x 3.5 mm, Weidmueller, white

End plates



Spring connection with PUSH IN Technology

The innovative PUSH IN technology reduces the amount of time you spend on wiring to a minimum. Direct insertion guarantees high conductor pull-out forces and simple handling for all conductor types.

General ordering data

Type AEP 2C 10/16 BL
Order No. 2490390000
GTIN (EAN) 4050118500837
Qty. 20 pc(s).

Version

A-series, End plate



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold

Germany

Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

Accessories

Type AEP 2C 10/16
Order No. 2490380000
GTIN (EAN) 4050118500820
Oty. 20 pc(s).

Version A-series, End plate

Custom printing



The Dekafix (DEK) marker is the universal marker for all conductor and plug-in connectors as well as for electronic sub-assemblies. The system is ideal for short number sequences and covers a wide range of ready-printed markers.

Strips for fast installation in only one work step. The printing is easy to read, rich in contrast and available in various widths.

- Large range of ready-to-use markers
- Strips for fast installation
- Terminal markers, suitable for all Weidmüller cable connectors
- · Available as blank MultiCard or with standard printing

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

| Туре | DEK 5/8 PLUS MC SDR | Version |
|------------|---------------------|---|
| Order No. | 1046370000 | Dekafix, Terminal marker, 5 x 8 mm, Pitch in mm (P): 8.00 |
| GTIN (EAN) | 4032248782079 | Weidmueller, To customer specification |
| Qty. | 160 pc(s). | |
| Туре | DEK 5/8 MC SDR | Version |
| Order No. | <u>1856750000</u> | Dekafix, Terminal marker, 5 x 8 mm, Pitch in mm (P): 8.00 |
| GTIN (EAN) | 4032248400867 | Weidmueller, To customer specification |
| Qty. | 160 pc(s). | |



Accessories

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold

Germany

Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

WS 8/5



WS/ DEK

MultiMark DEK/WS connector markers use an innovative composite material made from two components. The hard base contour of the marker snaps securely into the connector. The elastic surface finish makes the marker easy to mount. This specially punched material enables the strips to be stretched to accommodate the slight variations in spacing that tend to add up, especially with long terminal blocks. Another advantage: the excellent printability of the surface material guarantees durable and wear-resistant labelling. A print resolution of 300 dpi also produces a very legible script.

Your benefits with MultiMark

- · Firm hold and durable printing
- · Continuous strips save installation time
- Easy mounting thanks to an innovative composite material
- · Large label field for optimal legibility
- · High flexibility thanks to manufacturer independence

General ordering data

Type WS 8/5 MM WS
Order No. 2007150000
GTIN (EAN) 4050118392029
Qty. 800 pc(s).

Version

WS, Terminal marker, 8 x 5 mm, Weidmueller, white

Digital multimeters



Multimeters are capable of measuring a number of variables. Each instrument can measure voltage and resistance, as well as performing continuity and diode testing as standard.

In addition, the individual multimeters also feature extra measuring options such as current, frequency, capacitance and temperature. Digital multimeters have the advantage of a clear display which can be read easily and directly. With these instruments, mistakes arising from faulty conversion of the measuring ranges or misreading the display are a thing of the past.

General ordering data

Type ZUB MULTIMETER
Order No. 9205270000
GTIN (EAN) 4032248723522
Qty. 1 pc(s).

Version Multimeter



Accessories

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold

Germany

Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

Custom printing



The Dekafix (DEK) marker is the universal marker for all conductor and plug-in connectors as well as for electronic sub-assemblies. The system is ideal for short number sequences and covers a wide range of ready-printed markers.

Strips for fast installation in only one work step. The printing is easy to read, rich in contrast and available in various widths.

- Large range of ready-to-use markers
- Strips for fast installation
- Terminal markers, suitable for all Weidmüller cable connectors
- · Available as blank MultiCard or with standard printing

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

General ordering data

| Туре | DEK 5/6 PLUS MC SDR | Version |
|-------------------|------------------------------|---|
| Order No. | 1038650000 | Dekafix, Terminal marker, 5 x 6 mm, Pitch in mm (P): 6.00 |
| GTIN (EAN) | 4032248767908 | Weidmueller, To customer specification |
| Qty. | 200 pc(s). | |
| | | |
| Туре | DEK 5/6 MC SDR | Version |
| Type Order No. | DEK 5/6 MC SDR 1609830000 | Version Dekafix, Terminal marker, 5 x 6 mm, Pitch in mm (P): 6.00 |
| | , | |

Test adapter



Spring connection with PUSH IN Technology

The innovative PUSH IN technology reduces the amount of time you spend on wiring to a minimum. Direct insertion guarantees high conductor pull-out forces and simple handling for all conductor types.

| Туре | ATPG 10 MI-R |
|------------|-------------------|
| Order No. | <u>1991870000</u> |
| GTIN (EAN) | 4050118376678 |
| Qty. | 50 pc(s). |
| Туре | ATPG 1.5-10 L |
| Order No. | <u>1991890000</u> |
| GTIN (EAN) | 4050118376647 |
| Qty. | 50 pc(s). |



A2C 10 PE

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold

Germany

Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

Accessories

Custom printing



The Dekafix (DEK) marker is the universal marker for all conductor and plug-in connectors as well as for electronic sub-assemblies. The system is ideal for short number sequences and covers a wide range of ready-printed markers.

Strips for fast installation in only one work step. The printing is easy to read, rich in contrast and available in various widths.

- Large range of ready-to-use markers
- Strips for fast installation
- Terminal markers, suitable for all Weidmüller cable connectors
- · Available as blank MultiCard or with standard printing

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

| Туре | DEK 5/5 MC SDR | Version |
|------------|---------------------|---|
| Order No. | 1609810000 | Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00 |
| GTIN (EAN) | 4008190456597 | Weidmueller, To customer specification |
| Qty. | 200 pc(s). | |
| Туре | DEK 5/5 PLUS MC SDR | Version |
| Order No. | 1854500000 | Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00 |
| GTIN (EAN) | 4032248393602 | Weidmueller, To customer specification |
| Qty. | 200 pc(s). | |
| Туре | DEK 5/5 S MC SDR | Version |
| Order No. | 1341590000 | Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00 |
| GTIN (EAN) | 4050118146042 | Weidmueller, To customer specification |
| Qty. | 80 pc(s). | |



Accessories

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold

Germany

Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

Blank



The Dekafix (DEK) marker is the universal marker for all conductor and plug-in connectors as well as for electronic sub-assemblies. The system is ideal for short number sequences and covers a wide range of ready-printed markers.

Strips for fast installation in only one work step. The printing is easy to read, rich in contrast and available in various widths.

- Large range of ready-to-use markers
- · Strips for fast installation
- Terminal markers, suitable for all Weidmüller cable connectors
- · Available as blank MultiCard or with standard printing

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

General ordering data

Type DEK 5/6.5 MC NE WS Version


Order No. <u>1609840000</u> Dekafix, Terminal marker, 5 x 6.5 mm, Pitch in mm (P): 6.50

4008190203429 Weidmueller, white

Qty. 900 pc(s).

Blank

GTIN (EAN)



The Dekafix (DEK) marker is the universal marker for all conductor and plug-in connectors as well as for electronic sub-assemblies. The system is ideal for short number sequences and covers a wide range of ready-printed markers.

Strips for fast installation in only one work step. The printing is easy to read, rich in contrast and available in various widths.

- · Large range of ready-to-use markers
- · Strips for fast installation
- Terminal markers, suitable for all Weidmüller cable connectors
- Available as blank MultiCard or with standard printing

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

General ordering data

1,000 pc(s).

Type DEK 5/5 MC NE BR Version

 Order No.
 1249870000
 Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00

GTIN (EAN) 4050118051865 Weidmueller, brown



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold

Germany

Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

Accessories

| Туре | DEK 5/5 MC NE SW | Version |
|------------|--------------------|---|
| Order No. | 1457550000 | Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00 |
| GTIN (EAN) | 4050118263817 | Weidmueller, Black |
| Qty. | 1,000 pc(s). | Total nastor, Dash |
| Туре | DEK 5/5 MC NE GR | Version |
| Order No. | 1609801691 | Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00 |
| GTIN (EAN) | 4008190397159 | Weidmueller, grey |
| Qty. | 1,000 pc(s). | 110amasio, g.o, |
| Туре | DEK 5/5 MC NE RT | Version |
| Order No. | 1609801686 | Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00 |
| GTIN (EAN) | 4008190397128 | Weidmueller, red |
| Otty. | 1,000 pc(s). | Weldindeller, led |
| Туре | DEK 5/5 MC NE GE | Version |
| Order No. | 1609801687 | Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00 |
| | | |
| GTIN (EAN) | 4008190397135 | Weidmueller, yellow |
| Qty. | 1,000 pc(s). | v. · |
| Type | DEK 5/5 MC NE BL | Version |
| Order No. | 1609801693 | Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00 |
| GTIN (EAN) | 4008190397166 | Weidmueller, blue |
| Qty. | 1,000 pc(s). | |
| Туре | DEK 5/5 MC NE VI | Version |
| Order No. | 1249860000 | Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00 |
| GTIN (EAN) | 4050118042764 | Weidmueller, violet |
| Qty. | 1,000 pc(s). | |
| Туре | DEK 5/5 MC NE WS | Version |
| Order No. | 1609801044 | Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00 |
| GTIN (EAN) | 4008190397111 | Weidmueller, white |
| Qty. | 1,000 pc(s). | |
| Туре | DEK 5/5 S MC NE WS | Version |
| Order No. | <u>1341620000</u> | Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00 |
| GTIN (EAN) | 4050118145793 | Weidmueller, white |
| Qty. | 400 pc(s). | |
| Туре | DEK 5/5 MC NE GN | Version |
| Order No. | <u>1609801688</u> | Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00 |
| GTIN (EAN) | 4008190397142 | Weidmueller, green |
| Qty. | 1,000 pc(s). | |
| Туре | DEK 5/5 MC NE OR | Version |
| Order No. | 1238340000 | Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00 |
| GTIN (EAN) | 4050118062632 | Weidmueller, orange |
| Qty. | 1,000 pc(s). | |
| | | |



Weidmüller Interface GmbH & Co. KG Klingenbergstraße 26 D-32758 Detmold

Germany

Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

Accessories

Plus



The Dekafix (DEK) marker is the universal marker for all conductor and plug-in connectors as well as for electronic sub-assemblies. The system is ideal for short number sequences and covers a wide range of ready-printed markers.

Strips for fast installation in only one work step. The printing is easy to read, rich in contrast and available in various widths.

- Large range of ready-to-use markers
- Strips for fast installation
- Terminal markers, suitable for all Weidmüller cable connectors
- Available as blank MultiCard or with standard printing

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

| Туре | DEK 5/6.5 PLUS MC NE WS | Version |
|------------|---------------------------|---|
| Order No. | 1046340000 | Dekafix, Terminal marker, 5 x 6.5 mm, Pitch in mm (P): 6.50 |
| GTIN (EAN) | 4032248782048 | Weidmueller, white |
| Qty. | 900 pc(s). | |
| Туре | DEK 5/6.5 PLUS MC NE GE | Version |
| Type | DEN 5/6.5 PLUS IVIC NE GE | version |
| Order No. | 1364020000 | Dekafix, Terminal marker, 5 x 6.5 mm, Pitch in mm (P): 6.50 |
| | , | |



WS 8/8

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold

Germany

Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

Accessories



WS/ DEK

MultiMark DEK/WS connector markers use an innovative composite material made from two components. The hard base contour of the marker snaps securely into the connector. The elastic surface finish makes the marker easy to mount. This specially punched material enables the strips to be stretched to accommodate the slight variations in spacing that tend to add up, especially with long terminal blocks. Another advantage: the excellent printability of the surface material guarantees durable and wear-resistant labelling. A print resolution of 300 dpi also produces a very legible script.

Your benefits with MultiMark

- Firm hold and durable printing
- · Continuous strips save installation time
- Easy mounting thanks to an innovative composite material
- · Large label field for optimal legibility
- High flexibility thanks to manufacturer independence

| Туре | WS-A 8/8 MM WS | Version |
|------------|----------------|---|
| Order No. | 2448930000 | WS, Terminal marker, 8 x 8.1 mm, Weidmueller, white |
| GTIN (EAN) | 4050118462982 | |
| Qty. | 500 pc(s). | |
| Туре | WS 8/8 MM WS | Version |
| Order No. | 2007170000 | WS, Terminal marker, 8 x 8 mm, Weidmueller, white |
| GTIN (EAN) | 4050118392043 | |
| Qty. | 500 pc(s). | |



A-series

A2C 10 PE

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold

Germany

Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

Accessories

Custom printing



WS markers are the perfect match for the W-series connectors. Thanks to their system compatibility, the WS tags can also be used with the I-series and the Zseries. The large marking surfaces do not only permit long character strings but also multi-line text. WS markers are ideal for labels with long, customised character strings. Thanks to the proven MultiCard format, printing with laser printer, PrintJet ADVANCED, plotter or MC-Mobilo is possible.

- · Can be fitted in strips or individually
- Markers in proven MultiCard format

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

| Туре | WS 10/5 MC M SDR | Version |
|--|--|--|
| Order No. | <u>1792010000</u> | WS, Terminal marker, 10 x 5 mm, Pitch in mm (P): 5.00 Weidmueller, |
| GTIN (EAN) | 4032248223879 | Allen-Bradley, To customer specification |
| Qty. | 144 pc(s). | |
| Туре | WS 10/5 MC SDR | Version |
| Order No. | <u>1635010000</u> | WS, Terminal marker, 10 x 5 mm, Pitch in mm (P): 5.00 Weidmueller, |
| GTIN (EAN) | 4008190456634 | Allen-Bradley, To customer specification |
| Qty. | 144 pc(s). | |
| | | |
| Туре | WS 10/5 PLUS MC SDR | Version |
| Type Order No. | WS 10/5 PLUS MC SDR 1046320000 | Version WS, Terminal marker, 10 x 5 mm, Pitch in mm (P): 5.00 Weidmueller, |
| • • | · · | |
| Order No. | 1046320000 | WS, Terminal marker, 10 x 5 mm, Pitch in mm (P): 5.00 Weidmueller, |
| Order No. GTIN (EAN) | 1046320000 4032248782024 | WS, Terminal marker, 10 x 5 mm, Pitch in mm (P): 5.00 Weidmueller, |
| Order No. GTIN (EAN) Oty. | 1046320000 4032248782024 120 pc(s). | WS, Terminal marker, 10 x 5 mm, Pitch in mm (P): 5.00 Weidmueller, Allen-Bradley, To customer specification |
| Order No. GTIN (EAN) Oty. Type | 1046320000 4032248782024 120 pc(s). WS 10/5 M PLUS MC SDR | WS, Terminal marker, 10 x 5 mm, Pitch in mm (P): 5.00 Weidmueller, Allen-Bradley, To customer specification Version |
| Order No. GTIN (EAN) Oty. Type Order No. | 1046320000 4032248782024 120 pc(s). WS 10/5 M PLUS MC SDR 2007770000 | WS, Terminal marker, 10 x 5 mm, Pitch in mm (P): 5.00 Weidmueller, Allen-Bradley, To customer specification Version WS, Terminal marker, 10 x 5 mm, Pitch in mm (P): 5.00 Weidmueller, |



Accessories

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold

Germany

Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

WS 8/6



WS/ DEK

MultiMark DEK/WS connector markers use an innovative composite material made from two components. The hard base contour of the marker snaps securely into the connector. The elastic surface finish makes the marker easy to mount. This specially punched material enables the strips to be stretched to accommodate the slight variations in spacing that tend to add up, especially with long terminal blocks. Another advantage: the excellent printability of the surface material guarantees durable and wear-resistant labelling. A print resolution of 300 dpi also produces a very legible script.

Your benefits with MultiMark

- · Firm hold and durable printing
- · Continuous strips save installation time
- Easy mounting thanks to an innovative composite material
- · Large label field for optimal legibility
- · High flexibility thanks to manufacturer independence

General ordering data

Type WS 8/6 MM WS
Order No. 2007160000
GTIN (EAN) 4050118391879
Oty. 600 pc(s).

Version

WS, Terminal marker, 8 x 6 mm, Weidmueller, white

Covers



Spring connection with PUSH IN Technology

The innovative PUSH IN technology reduces the amount of time you spend on wiring to a minimum. Direct insertion guarantees high conductor pull-out forces and simple handling for all conductor types.

General ordering data

Type AAM 10 YE FLASH
Order No. 2635580000
GTIN (EAN) 4050118674521
Oty. 40 pc(s).

Version

Terminal marker, 14 x 10 mm, yellow



Accessories

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold

Germany

Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

Blank



WS markers are the perfect match for the W-series connectors. Thanks to their system compatibility, the WS tags can also be used with the I-series and the Z-series. The large marking surfaces do not only permit long character strings but also multi-line text. WS markers are ideal for labels with long, customised character strings. Thanks to the proven MultiCard format, printing with laser printer, PrintJet ADVANCED, plotter or MC-Mobilo is possible.

- · Can be fitted in strips or individually
- · Markers in proven MultiCard format

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

General ordering data

Type WS 10/8 PLUS MC NE WS
Order No. 1905950000
GTIN (EAN) 4032248528103
Oty. 420 pc(s).

Version

WS, Terminal marker, 10 x 8 mm, Pitch in mm (P): 8.00 Weidmueller,

white

Plus



The Dekafix (DEK) marker is the universal marker for all conductor and plug-in connectors as well as for electronic sub-assemblies. The system is ideal for short number sequences and covers a wide range of ready-printed markers.

Strips for fast installation in only one work step. The printing is easy to read, rich in contrast and available in various widths.

- Large range of ready-to-use markers
- Strips for fast installation
- Terminal markers, suitable for all Weidmüller cable connectors
- Available as blank MultiCard or with standard printing

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

General ordering data

Type DEK 5/8 PLUS MC NE WS
Order No. 1046350000
GTIN (EAN) 4032248782055

800 pc(s).

Qty.

Version

Dekafix, Terminal marker, 5 x 8 mm, Pitch in mm (P): 8.00

Weidmueller, white



Accessories

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold

Germany

Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

Custom printing



The Dekafix (DEK) marker is the universal marker for all conductor and plug-in connectors as well as for electronic sub-assemblies. The system is ideal for short number sequences and covers a wide range of ready-printed markers.

Strips for fast installation in only one work step. The printing is easy to read, rich in contrast and available in various widths.

- · Large range of ready-to-use markers
- · Strips for fast installation
- Terminal markers, suitable for all Weidmüller cable connectors
- · Available as blank MultiCard or with standard printing

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

General ordering data

| Туре | DEK 5/6.5 MC SDR | Version |
|-------------------|-------------------------------------|---|
| Order No. | 1609850000 | Dekafix, Terminal marker, 5 x 6.5 mm, Pitch in mm (P): 6.50 |
| GTIN (EAN) | 4008190456610 | Weidmueller, To customer specification |
| Qty. | 180 pc(s). | |
| | | |
| Туре | DEK 5/6.5 PLUS MC SDR | Version |
| Type Order No. | DEK 5/6.5 PLUS MC SDR 1046360000 | Version Dekafix, Terminal marker, 5 x 6.5 mm, Pitch in mm (P): 6.50 |
| | , | |

Blank



WS markers are the perfect match for the W-series connectors. Thanks to their system compatibility, the WS tags can also be used with the I-series and the Z-series. The large marking surfaces do not only permit long character strings but also multi-line text. WS markers are ideal for labels with long, customised character strings. Thanks to the proven MultiCard format, printing with laser printer, PrintJet ADVANCED, plotter or MC-Mobilo is possible.

- Can be fitted in strips or individually
- Markers in proven MultiCard format

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

General ordering data

 Type
 WS 10/6 PLUS MC NE WS
 Version

 Order No.
 1046390000
 WS, Terminal marker, 10 x 6 mm, Pitch in mm (P): 6.00 Weidmueller,

 GTIN (EAN)
 4032248782109
 Allen-Bradley, white

 Qty.
 600 pc(s).

Creation date January 7, 2020 1:49:50 PM CET



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold

Germany

Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

Accessories

| Туре | WS 10/6 M PLUS MC NE WS | Version |
|------------|-------------------------|--|
| Order No. | 2003780000 | WS, Terminal marker, 10 x 6 mm, Pitch in mm (P): 6.00 Weidmueller, |
| GTIN (EAN) | 4050118424461 | Allen-Bradley, white |
| Qty. | 600 pc(s). | |
| Туре | WS 10/6 M MC NE WS | Version |
| Order No. | <u>1818400000</u> | WS, Terminal marker, 10 x 6 mm, Pitch in mm (P): 6.00 Weidmueller, |
| GTIN (EAN) | 4032248310876 | Allen-Bradley, white |
| Qty. | 600 pc(s). | |
| Туре | WS 10/6 MC M NE RT | Version |
| Order No. | <u>1917440000</u> | WS, Terminal marker, 10 x 6 mm, Pitch in mm (P): 6.00 Weidmueller, |
| GTIN (EAN) | 4032248551644 | Allen-Bradley, red |
| Qty. | 600 pc(s). | |
| Туре | WS 10/6 MC M NE BL | Version |
| Order No. | 1069080000 | WS, Terminal marker, 10 x 6 mm, Pitch in mm (P): 6.00 Weidmueller, |
| GTIN (EAN) | 4032248824618 | Allen-Bradley, blue |
| Qty. | 600 pc(s). | |
| Туре | WS 10/6 MC NE WS | Version |
| Order No. | <u>1828450000</u> | WS, Terminal marker, 10 x 6 mm, Pitch in mm (P): 6.00 Weidmueller, |
| GTIN (EAN) | 4032248350513 | Allen-Bradley, white |
| Qty. | 600 pc(s). | |
| Туре | WS 10/6 MC M NE GN | Version |
| Order No. | <u>1917420000</u> | WS, Terminal marker, 10 x 6 mm, Pitch in mm (P): 6.00 Weidmueller, |
| GTIN (EAN) | 4032248551620 | Allen-Bradley, green |
| Qty. | 600 pc(s). | |
| Туре | WS 10/6 MC M NE GE | Version |
| Order No. | <u>1917430000</u> | WS, Terminal marker, 10 x 6 mm, Pitch in mm (P): 6.00 Weidmueller, |
| GTIN (EAN) | 4032248551637 | Allen-Bradley, yellow |
| Qty. | 600 pc(s). | |
| | | |

Custom printing



WS markers are the perfect match for the W-series connectors. Thanks to their system compatibility, the WS tags can also be used with the I-series and the Z-series. The large marking surfaces do not only permit long character strings but also multi-line text. WS markers are ideal for labels with long, customised character strings. Thanks to the proven MultiCard format, printing with laser printer, PrintJet ADVANCED, plotter or MC-Mobilo is possible.

- Can be fitted in strips or individually
- Markers in proven MultiCard format

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

General ordering data

 Type
 WS 10/6 MC M SDR
 Version

 Order No.
 1818410000
 WS, Terminal marker, 10 x 6 mm, Pitch in mm (P): 6.00 Weidmueller,

 GTIN (EAN)
 4032248310883
 Allen-Bradley, To customer specification

 Qty.
 120 pc(s).



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold

Germany

Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

Accessories

| Туре | WS 10/6 MC SDR | Version |
|------------|-----------------------|--|
| Order No. | 1828460000 | WS, Terminal marker, 10 x 6 mm, Pitch in mm (P): 6.00 Weidmueller, |
| GTIN (EAN) | 4032248367399 | Allen-Bradley, To customer specification |
| Qty. | 120 pc(s). | |
| Туре | WS 10/6 PLUS MC SDR | Version |
| Order No. | 1046330000 | WS, Terminal marker, 10 x 6 mm, Pitch in mm (P): 6.00 Weidmueller, |
| GTIN (EAN) | 4032248782031 | Allen-Bradley, To customer specification |
| Qty. | 120 pc(s). | |
| Туре | WS 10/6 M PLUS MC SDR | Version |
| Order No. | 2007780000 | WS, Terminal marker, 10 x 6 mm, Pitch in mm (P): 6.00 Weidmueller, |
| GTIN (EAN) | 4050118393187 | Allen-Bradley, To customer specification |
| Qty. | 120 pc(s). | |

DEK 5/5



WS/ DEK

MultiMark DEK/WS connector markers use an innovative composite material made from two components. The hard base contour of the marker snaps securely into the connector. The elastic surface finish makes the marker easy to mount. This specially punched material enables the strips to be stretched to accommodate the slight variations in spacing that tend to add up, especially with long terminal blocks. Another advantage: the excellent printability of the surface material guarantees durable and wear-resistant labelling. A print resolution of 300 dpi also produces a very legible script.

Your benefits with MultiMark

- · Firm hold and durable printing
- Continuous strips save installation time
- Easy mounting thanks to an innovative composite material
- Large label field for optimal legibility
- High flexibility thanks to manufacturer independence

| Туре | DEK 5/5 MM WS | Version |
|------------|-------------------|--|
| Order No. | <u>2007110000</u> | Dekafix, Terminal marker, 5 x 5 mm, Weidmueller, white |
| GTIN (EAN) | 4050118391862 | |
| Qty. | 800 pc(s). | |