

LED PROFILE ARC12 CD/R

Flexible aluminium LED profile

- Flexible aluminium profile - possibility of bending in two directions.
- The profile keeps shaped bend.
- Minimal bending radius.
- Possibility of using two diffusers - better light dispersion.
- Possible outside installation (with D cover and waterproof LED strip used).



SEE ONLINE

Category

Application




U patent



U patent




U patent




ARC12 CD

0 10mm

U patent



ARC12 CD/R




COMPONENTS

endings



mountings

covers



PRODUCT SPECIFICATION

Basic parameters

Installation method	Surface
Material	Aluminium
Warranty [years]	2

Electrical, photometric and thermal parameters

LED strip max. width

12

Logistic data

OPTION AVAILABLE

Index	Length [mm]	Colour of luminaire	Otwór montażowy [mm]
B2000000	1000	Raw Aluminum	
B2000001	1000	White	
B2000002	1000	Black	
B2000020	1000	Anodized	
B2010000	2000	Raw Aluminum	
B2010000002	2000	Black	
B2010000003	2000	Black	
B2010001	2000	White	
B2010002	2000	Black	
B2010020	2000	Anodized	

Commercial disclaimer: This folder isn't an offer by the meanings of civil code. Current offer is represented by price list. The colours of the pictures may be slightly different from the colour shown in the pictures. The specified dimensions are approximate and they can not form the basis of the complaint. The TOPMET Company reserves the right to make technical changes.