

Optimum, low-resistance 360° screen contact
Cutting edges cut through the insulating layer of the housing or switch cabinets, thus guaranteeing an optimum EMC contact
Easy disassembling
Visible, large-scale screen contact
Uncomplicated and reliable





## Info

Innovative EMC add-on for SKINTOP® ST(R)-M polyamide cable glands. Worlds first patented active EMC lock-nut!

## **Application range**

For EMC-compliant earthing of the copper braiding, or for cables with copper shaft sheath For EMC-contact at through bore-holes Control cabinet manufacturing Automation systems

Conveyor and transport systems

## Design

Metric connection thread acc. to EN 50262

## Remark

Photographs are not to scale and do not represent detailed images of the respective products.

**Product Management** 

2/3

U.I. Lapp GmbH

Part number	Article designation / size	Minimum Ø above braiding (mm)	SW (mm)	Thread length inner mm	Pieces / PU
54110840	M 16 x 1,5	5	24	10.0	25
54110841	M 20 x 1,5	5	24	10.0	10
54110842	M 25 x 1,5	5	30	10.0	10
54110843	M 32 x 1,5	8	39	12.0	10
54110844	M 40 x 1,5	10	47	12.0	5
54110845	M 50 x 1,5	14	56	12.0	5

Part number	Article designation / size	Minimum Ø above braiding (mm)	SW (mm)	Thread length inner mm	Pieces / PU
54110840	M 16 x 1,5	5	24	10.0	25
54110841	M 20 x 1,5	5	24	10.0	10
54110842	M 25 x 1,5	5	30	10.0	10
54110843	M 32 x 1,5	8	39	12.0	10
54110844	M 40 x 1,5	10	47	12.0	5
54110845	M 50 x 1,5	14	56	12.0	5

U.I. Lapp GmbH	PRODUCT INFORMATION	<b>EAPP GROUP</b>
	SKINTOP® BRUSH ADD-ON	12.09.2012



