



For Sustainable Lifestyle

eneloop chargers

BQ-CC17 Advanced charger	BQ-CC51 Basic charger	BQ-CC50 Compact charger	BQ-CC55 Smart & Quick charger
K-KJ17MCC40E	K-KJ51MCC04E K-KJ51MCC40E	K-KJ50MCC20E	K-KJ55HCD40E K-KJ55MCC40E
	K-KJ51MCC40U BQ-CC51E	K-KJ50MCC20U	K-KJ55MCC40U BQ-CC55E






For Sustainable Lifestyle

BQ-CC17 Advanced charger

PRODUCT BENEFITS

- ✓ For frequent users
- ✓ Can charge AA / AAA 4 cells
- ✓ Can be used all over the world (100–240V)
- ✓ Individual management/-ΔV Control



Recharge
Up to
2100
times

AA
Capacity
min.
1900
mAh

AAA
Capacity
min.
750
mAh

After
10
years
Capacity
Remains **70%**

*1 Panasonic internal IEC61951-2(7.3.2) testing (varies according to conditions of use)
*2 Panasonic internal testing IEC61951-2 (7.5.1.3)

Dimensions of Pack (mm)

Kit	Dimensions of Pack (mm)				8-digit code	EAN code	Number of batteries included	Blisters /carton
	Length	Width	Height	Weight (g)				
K-KJ17MCC40E	203	109	76	264,4	52017E42	5410853052296	4xAA 1900	8



For Sustainable Lifestyle

BQ-CC51 Basic charger

PRODUCT BENEFITS

- ✓ For occasional users
- ✓ Can charge AA / AAA 2 or 4 cells
- ✓ Timer control
- ✓ Can be used all over the world (100 - 240V)



Recharge
Up to
2100
times

AA
Capacity
min.
1900
mAh

AAA
Capacity
min.
750
mAh

After
10
years
Capacity
Remains **70%**

*Panasonic internal IEC61951-2 (7.3.2) testing [varies according to conditions of use]
*Panasonic internal testing IEC61951-2 (7.5.1.3)

Kit	Dimensions of Pack (mm)				8-digit code	EAN code	Number of batteries included	Blisters /carton
	Length	Width	Height	Weight (g)				
K-KJ51MCC40E	200	105	72	258,3	52051E42	5410853056683	4xAA 1900	8
K-KJ51MCC40U	200	105	72	269,3	52051U42	5410853057680	4xAA 1900	8




For Sustainable Lifestyle

BQ-CC51 Basic charger



PRODUCT BENEFITS

- ✓ For occasional users
- ✓ Can charge AA / AAA 2 or 4 cells
- ✓ Timer control
- ✓ Can be used all over the world (100 - 240V)



Recharge
Up to
2100
times

AA
Capacity
min.
1900
mAh

AAA
Capacity
min.
750
mAh

After
10
years
Capacity
Remains **70%**

*1 Panasonic internal IEC61951-2 (7.3.2) testing [varies according to conditions of use]
*2 Panasonic internal testing IEC61951-2 (7.5.1.3)

Kit	Dimensions of Pack (mm)				8-digit code	EAN code	Number of batteries included	Blisters /carton
	Length	Width	Height	Weight (g)				
K-KJ51MCC04E	200	105	72	200,7	52051E46	5410853056690	4xAAA 750	8

Panasonic




For Sustainable Lifestyle

BQ-CC51 Basic charger



PRODUCT BENEFITS

- ✓ For occasional users
- ✓ Can charge AA / AAA 2 or 4 cells
- ✓ Timer control
- ✓ Can be used all over the world (100 - 240V)



Recharge
Up to
2100
times

AA
Capacity
min.
1900
mAh

AAA
Capacity
min.
750
mAh

After
10
years
Capacity
Remains **70%**

*1 Panasonic internal IEC61951-2 (7.3.2) testing [varies according to conditions of use]
*2 Panasonic internal testing IEC61951-2 (7.5.1.3)


Kit	Dimensions of Pack (mm)				8-digit code	EAN code	Number of batteries included	Blisters /carton
	Length	Width	Height	Weight (g)				
BQ-CC51E	200	105	72	154,3	52051E00	5410853056676	/	8

Panasonic




For Sustainable Lifestyle

BQ-CC50 Compact charger



PRODUCT BENEFITS

- ✓ For entry users
- ✓ Can charge AA / AAA 2 or 4 cells
- ✓ Timer control
- ✓ Can be used all over the world (100 - 240V)



Recharge
Up to
2100
times

AA
Capacity
min.
1900
mAh

AAA
Capacity
min.
750
mAh

After
10
years
Capacity
Remains **70%**

*1 Panasonic internal IEC61951-2(7.3.2) testing (varies according to conditions of use)
*2 Panasonic internal testing IEC61951-2 (7.5.1.3)


Kit	Dimensions of Pack (mm)				8-digit code	EAN code	Number of batteries included	Blisters /carton
	Length	Width	Height	Weight (g)				
K-KJ50MCC20E	200	105	72	193,3	52050E71	5410853057659	2xAA 1900	8
K-KJ50MCC20U	200	105	72	202,3	52050U71	5410853057697	2xAA 1900	8



For Sustainable Lifestyle

BQ-CC55

Smart & Quick charger



PRODUCT BENEFITS

- ✓ For heavy users
- ✓ Rapid charge (AA 2 cells: 1,5 hours / 4 cells: 3 hours)
- ✓ Individual management/charge control
- ✓ Can be used all over the world (100 - 240V)



Recharge
Up to
2100
times

AA
Capacity
min.
1900
mAh

AAA
Capacity
min.
750
mAh

After
10
years
Capacity
Remains **70%**

*Panasonic internal IEC61951-2(7.3.2) testing (varies according to conditions of use)
*Panasonic internal testing IEC61951-2 (7.5.1.3)

Dimensions of Pack (mm)

Kit	Dimensions of Pack (mm)				8-digit code	EAN code	Number of batteries included	Blisters /carton
	Length	Width	Height	Weight (g)				
K-KJ55MCC40E	200	105	72	283,3	52055E42	5410853057642	4xAA 1900	8
K-KJ55MCC40U	200	105	72	290,3	52055U42	5410853057666	4xAA 1900	8



For Sustainable Lifestyle


BQ-CC55

Smart & Quick charger



PRODUCT BENEFITS

- ✓ For heavy users
- ✓ Rapid charge (AA 2 cells: 1,5 hours / 4 cells: 3 hours)
- ✓ Individual management/charge control
- ✓ Can be used all over the world (100 - 240V)



Recharge
Up to
2100
times

AA
Capacity
min.
1900
mAh

AAA
Capacity
min.
750
mAh

After
10
years
Capacity
Remains **70%**

*1 Panasonic internal IEC61951-2(7.3.2) testing (varies according to conditions of use)
*2 Panasonic internal testing IEC61951-2 (7.5.1.3)


Kit	Dimensions of Pack (mm)				8-digit code	EAN code	Number of batteries included	Blisters /carton
	Length	Width	Height	Weight (g)				
BQ-CC55E	200	105	72	179,3	52055E00	5410853057628	/	8



For Sustainable Lifestyle


BQ-CC55

Smart & Quick charger



PRODUCT BENEFITS

- ✓ For heavy users
- ✓ Rapid charge (AA 2 cells: 1,5 hours / 4 cells: 3 hours)
- ✓ Individual management/charge control
- ✓ Can be used all over the world (100 - 240V)



AA Capacity ^{*1}
min. **2500** mAh

AAA Capacity ^{*1}
min. **930** mAh

Recharge ^{*2}
Up to **500** times

after 1 year
Capacity Remains **85%** ^{*1}

^{*1}Panasonic internal IEC61951-2(7.3.2) testing (varies according to conditions of use)
^{*2}Panasonic internal testing IEC61951-2(7.5.1.3)

Kit	Dimensions of Pack (mm)				8-digit code	EAN code	Number of batteries included	Blisters /carton
	Length	Width	Height	Weight (g)				
K-KJ55HCD40E	200	105	72	289,9	52055E43	5410853057635	4xAA	8