


00 21 36 Tool Case "Robust34" Electric



- Technical details
- Description
- Applications

| | | |
|---|--|---------------|
| | No. | 00 21 36 |
| | EAN | 4003773082583 |
| | Dimension exterior (interior) width mm | 510 (480) mm |
| | Dimension exterior (interior) height mm | 215 (199) mm |
| | Dimension exterior (interior) depth mm | 419 (356) mm |
|  | Net weight | 10000 g |

- Fit to fly case, made from impact-resistant polypropylene
- Dustproof and watertight
- Air pressure compensation valve
- Temperatures ranging from - 30°C to + 80° C
- Padlock eyelets
- Document compartment; tool boards with 42 tool pockets and 67 straps
- Lockable base tray can be individually divided using aluminium separator system
- Ergonomic dual-component handle
- Volume: 34 l
- Load-bearing capacity up to 25 kg

Model:

- Equipped with 26 brand name tools; some VDE tested in accordance with DIN EN/IEC 60900



With pressure valve for venting and name plate



Aluminium separators for individually dividing up the base tray



With document compartment

Content 00 21 36 (11)

| No. | | | Nominal size | | |
|-------------|---------|--|--------------|--------|--|
| 00 11 01 | Knipex | KNIPEX TwinKey [®] , for all standard cabinets and shut-off systems | 1 | | |
| 08 26 145 | Knipex | Needle-Nose Combination Pliers | 1 | | |
| 12 40 200 | Knipex | Self-Adjusting Insulation Stripper | 1 | 200 mm | |
| 13 86 200 | Knipex | Pliers for Electrical Installation | 1 | | |
| 16 95 01 SB | Knipex | KNIPEX ErgoStrip [®] , Universal Stripping Tool | 1 | | |
| 70 06 160 | Knipex | Diagonal Cutter | 1 | 160 mm | |
| 87 01 180 | Knipex | KNIPEX Cobra [®] , Hightech Water Pump Pliers | 1 | 180 mm | |
| 97 53 04 | Knipex | Self-Adjusting Crimping Pliers for wire end sleeves, with lateral access | 1 | | |
| 98 52 | Knipex | Cable Knife | 1 | 185 mm | |
| 003484 | Wera | Kraftform Kompact VDE 16 Slim | 1 | | |
| 16135 | Stabila | Model 70 Electric spirit level | 1 | 430 mm | |

Con-Pearl[®] is a registered trade mark of friedola TECH GmbH
 technical change and errors excepted

