


Data Sheet - TR-25 P



Product Description:

Tool for a flush cut with particularly sharp cutting edges. Purposely designed for very delicate work in electronics.

Type of Material:

Special Steel – type C67

Use of the product:

Tool designed for cutting only COPPER wires, and the maximum capacity of cutting is printed on the handle of each product by – MAX CUT Ø 1.02mm – COPPER ONLY!

Important: Use only for very delicate work in electronics.

Product Characteristics:

| | |
|------------------------------------|---------------|
| Length of the cutting blades | 8mm |
| Width of the head | 10mm |
| Total length of the tool | 130mm |
| Max cutting capacity – copper wire | 1.02mm /18AWG |
| Thickness of the steel | 2.5mm |
| Inclination of the head | 21° |

ERGONOMIC Handles (made of bi-material plastic) – for max gripping to the hand and for giving the best comfort to the operator.
Standard in orange/black colour.

Model available with the following version:

with SAFETY CLIP – allows cut wires to stand still on the tip of the tool, avoiding the “uncontrollable flight” of the cut parts. Part No. **TR-25-PA**.

with DISSIPATIVE/ANTISTATIC handles (made of ESD bi-material plastic) - allows to discharge electrostatic charge without damage to the wire or component. Standard colours gray/black. Part No. **TR-25-P-D**. Available also with ESD grips & safety clip. Part No. **TR-25-PA-D**.

Piergiacomini Sud S.r.l.

sede legale e stabilimento *manufacturing plant* Via 81a Strada 3, Fraz. Centobuchi, 63076 Monteprandone (AP) Italy, Tel.: +39 0735 70 33 33 (2 linee r.a.) Fax +39 0735 70 37 57

ufficio commerciale *commercial office* Via Gramsci 3, 60022 Castelfidardo (AN) Italy, Tel.: +39 071 78678 - 780211 Fax +39 071 7822536 piergiacomini@piergiacomini.com_www.piergiacomini.com

Codice Fiscale e P. IVA 00449480441 cap. soc. Euro 70.000 i.v., iscr. al Registro Imprese di Ascoli Piceno n. 00449480441, R.E.A. n. 91279